

Life Is On

Schneider
Electric



Final Distribution & Wiring Devices

Maximum Retail Price Effective February 03rd, 2025



se.com/in

About Schneider Electric

Schneider Electric's purpose is to empower all to make the most of our energy and resources, bridging progress and sustainability for all. We call this Life Is On..


Our mission is to be your digital partner for **Sustainability** and **Efficiency**.

We drive digital transformation by integrating world-leading process and energy technologies, end-point to cloud connecting products, controls, software and services, across the entire lifecycle, enabling integrated company management, for homes, buildings, data centres, infrastructure and industries.

We are the most local of the global companies. We are advocates of open standards and partnership ecosystems that are passionate about our shared meaningful purposes, inclusive and empowered values.

Our business offerings

Span the entire spectrum from Plant-to-Plug.



Easy9 Philosophy


Easy on eyes



Easy on mind



Easy to sell



Easy to install



Safeguard your peace of mind

Get maximum electrical protection with **Easy9**



Miniature Circuit Breaker (MCB)

For circuit protection against Overload and Short Circuit Current Fault

- CE Marked as per IS/IEC 60898 -1
- Breaking Capacity 6kA and 10kA
- Green Compliance: RoHS, REACH, EoLI, PEP
- Energy Limiting Class 3
- Trip Free Mechanism

- Fast Tripping Mechanism
- Suitable for Positive Isolation
- Line Load Reversibility
- Bi-connect Terminals

- Degree of Protection IP 20
- Operating Voltage 240V / 415V
- Frequency 50Hz



Green Premium



Easy9 - C Curve 6kA

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
Package Size	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
6	EZ9F76106	246	EZ9F76206	916	EZ9F76306	1422	-	-
10	EZ9F76110	246	EZ9F76210	916	EZ9F76310	1422	-	-
16	EZ9F76116	246	EZ9F76216	916	EZ9F76316	1422	EZ9F76416	2022
20	EZ9F76120	246	EZ9F76220	916	EZ9F76320	1422	EZ9F76420	2022
25	EZ9F76125	246	EZ9F76225	916	EZ9F76325	1422	EZ9F76425	2022
32	EZ9F76132	246	EZ9F76232	916	EZ9F76332	1422	EZ9F76432	2022
40	EZ9F76140	562	EZ9F76240	1217	EZ9F76340	2059	EZ9F76440	2756

Easy9 - C Curve 10kA

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
Package Size	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
6	EZ9F71106	321	-	-	EZ9F71306	1770	-	-
10	EZ9F71110	321	EZ9F71210	1112	EZ9F71310	1770	-	-
16	EZ9F71116	321	EZ9F71216	1112	EZ9F71316	1770	EZ9F71416	2427
20	EZ9F71120	321	EZ9F71220	1112	EZ9F71320	1770	EZ9F71420	2427
25	EZ9F71125	321	EZ9F71225	1112	EZ9F71325	1770	EZ9F71425	2427
32	EZ9F71132	321	EZ9F71232	1112	EZ9F71332	1770	EZ9F71432	2427
40	-	-	EZ9F71240	1634	EZ9F71340	2563	EZ9F71440	3129
63	EZ9F71163	842	EZ9F71263	1832	EZ9F71363	2718	EZ9F71463	3321

Easy9 - B Curve 10kA

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod	
Package Size	12 Nos.		6 Nos.	
6	EZ9F21106	295	-	-
10	EZ9F21110	295	-	-
16	EZ9F21116	295	-	-
20	EZ9F21120	295	-	-
25	EZ9F21125	295	-	-
32	EZ9F21132	295	EZ9F21232	1108
40	-	-	EZ9F21240	1599

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Shield your devices and your loved ones too

Get maximum electrical protection
with **Easy9**



Residual Current Circuit Breaker (RCCB) - AC Type

For protection against Risk of Shock / Electrocution and Risk of Fire in case of Earth Leakage Current

- ISI/CE Marked as per IS/IEC 61008-1
- Green Compliance: RoHS, REACH, EoLI, PEP
- Voltage Independent RCCB
- ISI/CE Marked as per IS/IEC 61008-1
- Green Compliance: RoHS, REACH, EoLI, PEP
- Voltage Independent RCCB



Green Premium



[In] Rated Current (A)	Earth Leakage Sensitivity (mA)	2 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**		2 Mod		4 Mod	
Package Size		6 Nos.		3 Nos.	
25	30	EZ9R35225	3561	EZ9R35425	4826
	100	EZ9R55225	3782	EZ9R55425	4914
	300	EZ9R65225	3854	EZ9R65425	5009
40	30	EZ9R35240	3695	EZ9R35440	4743
	100	EZ9R55240	3959	EZ9R55440	5009
	300	EZ9R65240	3926	EZ9R65440	5015
63	30	EZ9R35263	4946	EZ9R35463	4991
	100	EZ9R55263	5192	EZ9R55463	5343
	300	EZ9R65263	5137	EZ9R65463	5297

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

Isolator

- CE Marked, AC - 22A, Conforms to IEC 60947-3
- Green Compliance: RoHS, REACH, EoLI, PEP
- Suitable for Positive Isolation
- Line Load Reversibility
- Laser Printing
- Bi-connect Terminals
- Degree of Protection IP 20
- Operating Voltage 240V / 415V
- Frequency 50Hz



Green Premium



[In] Rated Current (A)	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**		2 Mod	3 Mod		4 Mod	
Package Size		6 Nos.	4 Nos.		3 Nos.	
40	EZ9S66240	600	EZ9S66340	1275	EZ9S66440	1433
63	EZ9S66263	800	EZ9S66363	1428	EZ9S66463	1459
80	-	-	-	-	EZ9S66480	1955

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Surge Protection Device

For Protection of Devices against Lightning & Switching Surges


- In conformance with standards IEC 61643-11
- For protection against Indirect lightning and Switching surges
- Inbuilt health Indicator
- Always use a Back-up MCB with your SPD




Surge Arresters - Type 2

[Imax] Rated Current (kA)	1P+ N Reference	Unit MRP [₹]	3P+N Reference	Unit MRP [₹]
Module Width**	2 Mod		4 Mod	
Package Size	6 Nos.		3 Nos.	
20kA	EZ9L33620	3868	EZ9L33720	6981
45kA	-	-	EZ9L33745	10472

Network: single phase
Earthing system: TT or TN-S



Network: three phase
Earthing system: TT or TN-S



Backup MCB Selection Chart

[Imax] Rated Current (kA)	1P+ N Reference	Backup MCB	3P+N Reference	Backup MCB
20kA	EZ9L33620	EZ9F71120	EZ9L33720	EZ9F71420
45kA	-	-	EZ9L33745	EZ9F71463

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Timers & Time Switches

Analog Time Switches



- 24H, 7D Programmable switch Voltage Rating: 230V AC +10%, -15%
- Memory: Upto 56 Switching Operations
- Back up of program: Operating reserve for 100, 200 Hours
- Overall dimensions: 5 modules
- Minimum time between two switching operations: 15, 30 min
- Accuracy: $\leq \pm 1$ s/day at +20°C

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	5979
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	6522
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	9336
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	5297

Digital Time Switches



- 7D, 24H Programmable switch. Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	12851
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	15854
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	16577
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	26096
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	18341

Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	7259
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	9322
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	8762

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Timers & Time Switches

Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	15310
Analogue indoor light sensor cell	-	CCT15262	7555
Wall mounted Analogue outdoor light sensor cell	-	CCT15263	11710
IC100 (2 - 100 lux) twilight switch	1	CCT15482	12879
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	11478
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	26603
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	32175
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	39610
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	27808
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	23399

Time switch accessories

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
Programming kit for IHP / IC	1	CCT15860	12240

Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	27842

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

W.E.F. February 03rd, 2025

Easy9 Distribution Boards



IK-08
tested

IP-30
Single door
IP-43
Double door



Features

- Clean and attractive colour and finish (White RAL 9003)
- Unique design of door knob for easy operation
- IP compliant to IS 8623
- High quality powder coating for long life and high reliability under the toughest of conditions
- Optimized wiring space for a clean installation
- Suitable for surface and flush mounting
- Cement Spill protector helps avoid entry of dust and cement particles
- Reversible door
- Independent centre plate
- 45° angled hole for easy installation and 1 key hole for easy alignment
- Removable top and bottom gland plates
- Unique 5-hole mounting for single-person fixing
- Simple 3-piece design for quick assembly
- Combi-head screws for tool flexibility

Easy9 Distribution Boards

Metal Enclosures



Description	Module Cutout Width**	Single Door (IP30) Reference	Unit MRP [₹]
2 way Enclosure	2	EZ9EMES02	658
4 way Enclosure	4	EZ9EMES04	743

Metal Clad P&S Units



Description	Module Cutout Width**	Single Door (IP30) Reference	Unit MRP [₹]
EZ9 Metal P&S Unit 20A 1P+N+E	2	EZ9EMS220	2133
EZ9 Metal P&S Unit 30A 3P+E	3	EZ9EMS330	4884

Phase Selector DBs



Description	Module Cutout Width**	Double Door (IP43) Reference	Unit MRP [₹]
Easy9 DB 4Way phase selector vertical	8 + 4 x 3	EZ9EPVD04N	8607
Easy9 DB 6Way phase selector vertical	8 + 6 x 3	EZ9EPVD06N	9169
Easy9 DB 8Way phase selector vertical	8 + 8 x 3	EZ9EPVD08N	9898

Phase Selector Switch



Description	Reference	Unit MRP [₹]
Easy9 DB 40A selector switch	EZ9EPS40SN	7835
Easy9 DB 63A selector switch	EZ9EPS63SN	9169

SPN DBs



Description	Total Module Cutout Width** (Incomer + Outgoing)**	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
Easy9 SPN DB 4 way	2 + 2	-	-	EZ9ESND04	2126
Easy9 SPN DB 6 way	2 + 4	-	-	EZ9ESND06	2204
Easy9 SPN DB 8 way	2 + 6	EZ9ESNS08	1579	EZ9ESND08	2417
Easy9 SPN DB 10 way	2 + 8	-	-	EZ9ESND10	2623
Easy9 SPN DB 12 way	2 + 10	-	-	EZ9ESND12	2882
Easy9 SPN DB 16 way	2 + 14	-	-	EZ9ESND16	4246

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Bold references are MTO reference.

Easy9 Distribution Boards

TPN DBs



Description	Total Module Cutout Width** (Incomer + Outgoing)	Double DoorMetal (IP43) Reference	Unit MRP [₹]
Easy9 TPN DB 4 way - 4 Mod Incomer	4 + 4 x 3	EZ9ETND04E	4278
Easy9 TPN DB 4 way	8 + 4 x 3	EZ9ETND04	4937
Easy9 TPN DB 6 way	8 + 6 x 3	EZ9ETND06	6152
Easy9 TPN DB 8 way	8 + 8 x 3	EZ9ETND08	7766
Easy9 TPN DB 12 way	8 + 12 x 3	EZ9ETND12	11893

VTPN DBs Modular Incomer



Description	Total Module Cutout Width** (Incomer + Outgoing)	Double DoorMetal (IP43) Reference	Unit MRP [₹]
Easy9 VTPN DB 4 Ways Modular i/c	12+12	EZ9EVM04	9100
Easy9 VTPN DB 8 Ways Modular i/c	12+24	EZ9EVM08	13094
Easy9 VTPN DB 12 Ways Modular i/c	12+36	EZ9EVM12	16484

VTPN DBs MCCB Incomer



Description	Total Module Cutout Width** (Incomer + Outgoing)	Double DoorMetal (IP43) Reference	Unit MRP [₹]
Easy9 VTPN DB 4 Ways CVS i-c 100A	100A MCCB+ 12	EZ9EVN04L	11398
Easy9 VTPN DB 8 Ways CVS i-c 100A	100A MCCB+ 24	EZ9EVN08L	14914
Easy9 VTPN DB 12 Ways CVS i-c 100A	100A MCCB+ 36	EZ9EVN12L	18408
Easy9 VTPN DB 4 Ways CVS i/c 160A	160A MCCB+ 12	EZ9EVN04M	12542
Easy9 VTPN DB 8 Ways CVS i/c 160A	160A MCCB+ 24	EZ9EVN08M	16744
Easy9 VTPN DB 12 Ways CVS i/c 160A	160A MCCB+ 36	EZ9EVN12M	20914
Easy9 VTPN DB 8 Ways CVS i/c 250A	250A MCCB+ 24	EZ9EVN08H	16916
Easy9 VTPN DB 12 Ways CVS i/c 250A	250A MCCB+ 36	EZ9EVN12H	21105

Accessories

Description	Type	Reference	Unit MRP [₹]
Easy9 Door Bracket-Set of 5 SSP152	Door Bracket	EZ9EBRACKET	402
Easy9 Std Door Knob-Set of 5 SSP144 GRY	Door Knob	EZ9EDOORKNOB	2432

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Bold references are MTO reference.

Wander Plugs



PKE16M423



PKE16M723



81383

- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
PratiKa Screw				
IP44				
16	200...250	2P + E	PKE16M423	631
		2P + E	PKX16M423	1287
	380...415	3P + E	PKE16M434	806
		3P + N + E	PKE16M435	840
32	200...250	2P + E	PKE32M423	992
		3P + E	PKE32M434	1163
	380...415	3P + N + E	PKE32M435	1136
		IP67		
16	200...250	2P + E	PKE16M723	1378
		2P + E	PKX16M723	2048
	380...415	3P + E	PKE16M734	1572
		3P + N + E	PKE16M735	1680
32	200...250	2P + E	PKE32M723	1969
		3P + E	PKE32M734	2124
	380...415	3P + N + E	PKE32M735	2120
		PK (63A & 125A available in IP67 only)		
63	200...250	2P + E	81378	5582
		3P + E	81382	5321
	380...415	3P + N + E	81383	5279
125	380...415	3P + E	81394	16278
		3P + N + E	81395	16278

Note: * Fast Connection

Small Wall Mounted Sockets



PKF16W423



PKF16W723



PKF32W735

- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
IP44				
16	200...250	2P + E	PKF16W423	1115
	380...415	3P + E	PKF16W434	1294
		3P + N + E	PKF16W435	1413
32	200...250	2P + E	PKF32W423	1457
	380...415	3P + E	PKF32W434	1749
		3P + N + E	PKF32W435	1847
IP67				
16	200...250	2P + E	PKF16W723	1771
	380...415	3P + E	PKF16W734	2225
		3P + N + E	PKF16W735	2301
32	200...250	2P + E	PKF32W723	2217
	380...415	3P + E	PKF32W734	3237
		3P + N + E	PKF32W735	4293

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Wall Mounted Sockets



81178

81183

- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	81178	6876
		3P + E	81182 ●	7077
	380...415	3P + N + E	81183	7179
125	380...415	3P + E	81194	24799
		3P + N + E	81195	24920

Wander Sockets



PKF16M423

81483

PKF32M735

- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16M423 	882
		2P + E	PKY16M423	972
	380...415	3P + E	PKF16M434	1017
		3P + N + E	PKF16M435	1110
32	200...250	2P + E	PKF32M423 	1213
		3P + E	PKF32M434	1472
	380...415	3P + N + E	PKF32M435 	1482
		IP67		
16	200...250	2P + E	PKF16M723	1633
		2P + E	PKY16M723 	1987
	380...415	3P + E	PKF16M734	2048
		3P + N + E	PKF16M735	2140
32	380...415	2P + E	PKF32M723	2246
		3P + E	PKF32M734	2485
		3P + N + E	PKF32M735	2508
		PK (63A & 125A available in IP67 only)		
63	200...250	2P + E	81478	6080
	380...415	3P + E	81482	6133
		3P + N + E	81483	6173
125	380...415	3P + E	81494	19192
		3P + N + E	81495	19568

Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Panel Mounted Sockets - Angled



PKF16F423

PKF32F723

81283

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16F423	676
		2P + E	PKY16F423	736
	380...415	3P + E	PKF16F434	1017
		3P + N + E	PKF16F435	1085
32	200...250	2P + E	PKF32F423	1201
		3P + E	PKF32F434	1407
	380...415	3P + N + E	PKF32F435	1388
		IP67		
16	200...250	2P + E	PKF16F723	1273
		2P + E	PKY16F723	1557
	380...415	3P + E	PKF16F734	1464
		3P + N + E	PKF16F735	1482
32	200...250	2P + E	PKF32F723	1673
		3P + E	PKF32F734	1955
	380...415	3P + N + E	PKF32F735	1968
		PK (63A & 125A available in IP67 only)		
63	200...250	2P + E	81278	5489
		3P + E	81282	5498
	380...415	3P + N + E	81283	5553
		3P + E	81294	18519
125	380...415	3P + N + E	81295	18432

Panel Mounted Sockets - Straight



PKF16G423

PKF16G723

81683

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16G423	773
		2P + E	PKY16G423	1146
	380...415	3P + E	PKF16G434	1348
		3P + N + E	PKF16G435	1163
32	200...250	2P + E	PKF32G423	1227
		3P + E	PKF32G434	1413
	380...415	3P + N + E	PKF32G435	1531
		IP67		
16	200...250	2P + E	PKF16G723	1294
		2P + E	PKY16G723	1457
	380...415	3P + E	PKF16G734	1779
		3P + N + E	PKF16G735	1482
32	200...250	2P + E	PKF32G723	1650
		3P + E	PKF32G734	1856
	380...415	3P + N + E	PKF32G735	1926
		PK (63A & 125A available in IP67 only)		
63	380...415	3P + E	81682	5552
		3P + N + E	81683	5552
125		3P + N + E	81695	18609

*Fast Connection

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



83047

83081

- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
IP44				
16	200...250	2P + E	83031	9279
	380...415	3P + N + E	83036	13096
32	200...250	2P + E	83042 	11931
	380...415	3P + E	83046	19497
		3P + N + E	83047	14060
IP65				
16	200...250	2P + E	83081	9600
	380...415	3P + E	83085	13221
		3P + N + E	83086	13489
32	200...250	2P + E	83092	12582
	380...415	3P + N + E	83097	15107

Socket with Interlock Switch & DIN Rail Isoblock (4.5 modules)



82754

83796

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 ☒	11393
	380...415	3P + N + E	82759	17590
32	200...250	2P + E	83791 ☒	13489
	380...415	3P + N + E	83796	16070

Socket with Interlock Switch & DIN Rail Isoblock (6 modules)



82766

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	82766	17966
63	380...415	3P + E	82782	24208
		3P + N + E	82783	24053

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.

Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring)
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

Plug



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 ☒	294
20	2P	250	30	AP20 ☒	310
20	3P	440	30	BP20 ☒	412
30	3P	440	20	BP30 ☒	750
63	3P+N+E	440	4	CP63 ☒	3391

Socket



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 ☒	310
20	2P	250	30	AS20 ☒	330
20	3P	440	30	BS20 ☒	463
30	3P	440	20	BS30 ☒	794
63	3P+N+E	440	4	CS63 ☒	3799

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW116LE-GY



56SW216LE-GY



56SW332LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Switches			
Single Pole Switches Less Enclosure			
1 Pole 250V 10A	IP66	56SW110LE-GY	4091
1 Pole 250V 16A	IP66	56SW116LE-GY	3796
1 Pole 250V 20A	IP66	56SW120LE-GY	5748
1 Pole 250V 32A	IP66	56SW132LE-GY	6854
Double Pole Switches Less Enclosure			
2 Pole 500V 16A	IP66	56SW216LE-GY	6622
2 Pole 500V 20A	IP66	56SW220LE-GY	6622
2 Pole 500V 32A	IP66	56SW232LE-GY	8787
2 Pole 500V 50A	IP66	56SW250LE-GY	10262
Triple Pole Switches Less Enclosure			
3 Pole 500V 10A	IP66	56SW310LE-GY	6125
3 Pole 500V 16A	IP66	56SW316LE-GY	6389
3 Pole 500V 20A	IP66	56SW320LE-GY	6726
3 Pole 500V 32A	IP66	56SW332LE-GY	7768
3 Pole 500V 50A	IP66	56SW350LE-GY	9048
3 Pole 500V 63A	IP66	56SW363LE-GY	10503
Four Pole Switches Less Enclosure			
4 Pole 500V 20A	IP66	56SW420LE-GY	8880



66CV563-RG



66P563-EO

Description	IP Rating	Reference	Unit MRP [₹]
IP66 Industrial Combination Switch Sockets with Enclosure			
Single Pole Switches Less Enclosure			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	66CV563-RG	119035
Plug Top 5 Pin 500V 63A	IP66	66P563-EO	35728

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



56SO316RP-LE-GY-EX



56SO432LE-GY



56SO532LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Socket Outlets			
3 Pin Sockets Less Enclosure			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	3821
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	5547
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	6179
4 Pin Sockets Less Enclosure			
4 Pin 500V 20A Round Pin	IP66	56SO420LE-GY	8286
4 Pin 500V 32A Round Pin	IP66	56SO432LE-GY	9907
4 Pin 500V 50A Round Pin	IP66	56SO450LE-GY	15243
5 Pin Sockets Less Enclosure			
5 Pin 500V 10A Round Pin	IP66	56SO510LE-GY	8953
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	8868
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	10531
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	15341
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	15750

*Alternate reference 56SO440-GY (coming soon)



56PA420-EO



56PA532-EO



56CVI520-GY

Description	IP Rating	Reference	Unit MRP [₹]
Plugs			
3 Pin Angle Plugs			
3 pin 250V 16A Round Pin	IP66	56PA316RP-GY-EX	2874
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	5748
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	6640
4 Pin Angle Plugs			
4 Pin 500V 20A Round Pin	IP66	56PA420-EO	7072
4 Pin 500V 32A Round Pin	IP66	56PA432-EO	7362
4 Pin 500V 40A Round Pin	IP66	56PA440-EO	12244
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	8735
5 Pin Angle Plugs			
5 Pin 500V 10A Round Pin	IP66	56PA510-EO	6951
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	6951
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	7954
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	8493
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	8695
Combination Switch Socket Outlet			
IP66 Interlocked Switch Socket with Enclosure			
4 Pin 500V 20A Round Pin	IP66	56CVI420-GY	30384
5 Pin 500V 20A Round Pin	IP66	56CVI520-GY	27488
5 Pin 500V 32A Round Pin	IP66	56CVI532-GY	27739

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

56 Series



56DB2-GY



56CB4N-GY

Description	IP Rating	Reference	Unit MRP [₹]
Adaptable Enclosures with Gear Tray			
2 Gangpoints, 198X101X140mm	IP66	56DB2-GY	7584
Junction Boxes			
1 Gangpoint, 107X101X90mm	IP66	56JB1-GY	3300
2 Gangpoints, 204X101X90mm	IP66	56JB2-GY	5305
3 Gangpoints, 300X101X90mm	IP66	56JB3-GY	11367
4 Gangpoints, 204X198X90mm	IP66	56JB4-GY	10671

Description	Module Width	Reference	Unit MRP [₹]
Switchgear Cover Assembly			
For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	6300



56FA2-GY



56E2-GY



56E1-GY



56E3-GY

Description	No. of Gangs	Reference	Unit MRP [₹]
Flush Surrounds			
Flush Surround	2	56FA2-GY	3104
Flush Surround	3	56FA3-GY	4887
Mounting Enclosures (Back Boxes)			
101X101X63mm	1	56E1-GY	1337
198X101X63mm	2	56E2-GY	3430
294X101X63mm	3	56E3-GY	5497
198X198X63mm	4	56E4-GY	7072
294X198X63mm	6	56E6-GY	11307
391X198X63mm	8	56E8-GY	14835
391X391X63mm	16	56E16-GY	26880

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

SWITCH TO STYLE



Perfect solutions for the perfect you



LIVIA
Life. Style.

New



Miluz ZeTa



Clipsal X



Opale




Unica Pure



ZENcelo



Avatar On



P1001



P1081

- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams.
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1002



P1081



P1002



P1025



P2005NS



P2106



P3012



P3200



P7003



P7003_PG



P6005



P5001



P8010



P8010_PG

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Switches				
10AX 1 way switch	P1001	142	P1001_PG	203
10AX 1 way switch with Indicator lamp	P1081	301	P1081_PG	411
10AX 2 way switch	P1002	237	P1002_PG	294
16AX 1 way switch	P1101	258	P1101_PG	317
16AX 1 way switch with Indicator lamp	P1181	360	P1181_PG	427
16AX 1 way switch (2M)	P1121	398	P1121_PG	526
16AX 2 way switch	P1102	349	P1102_PG	484
20A 1 way switch (1M) with indicator lamp	P11201	328	P11201_PG	419
20A DP switch with Indicator lamp	P1120	582	P1120_PG	800
32A DP switch with Indicator lamp	P1132	868	P1132_PG	1070
Bell Push				
10A Bell Push switch	P1005	265	P1005_PG	362
10A Bell Push switch (2M)	P1025	370	P1025_PG	518
10A bell push switch with Indicator	P1085	321	P1085_PG	436
10A bell push switch with Indicator (2M)	P1086	424	P1086_PG	581
Sockets				
6A 3Pin socket Outlet with shutter (BIS)	P2005NS	282	P2005NS_PG	347
10A/16A 3-pin Socket Outlet with Shutter	P2106	425	P2106_PG	514
Fan Regulators & Dimmers				
Step type fan regulator (1M)	P3100	835	P3100_PG	1015
Step type fan regulator (2M)	P3200	971	P3200_PG	1213
Dimmer 400W (1M)	P3004	1545	P3004_PG	2056
Dimmer 1000W (2M)	P3012	2337	P3012_PG	2562
USB Charger				
USB Charger	P7002	2022	P7002_PG	2350
Livia - A+C Type USB Charger (1M)	P7003	3044	P7003_PG*	3664
Accessories				
RJ 11 Telephone outlet with shutter	P4011	239	P4011_PG	330
RJ 45 Cat 5e Data outlet with shutter	P4045	813	P4045_PG	975
RJ 45 Cat6 Data outlet with shutter	P4046	905	P4046_PG	1153
TV socket	P4500	229	P4500_PG	318
Blank off unit (1M)	P0001	63	P0001_PG	80
Foot Lamp with LED	P7001	982	P7001_PG	1170
Cord Outlet	P4550	304	P4550_PG	359
LED Phase Indicator	P5001	406	-	-
10A Mini MCB	P8010	570	P8010_PG	668
16A Mini MCB	P8016	570	P8016_PG	668
20A Mini MCB	P8020	570	P8020_PG	668
25A Mini MCB	P8025	570	P8025_PG	668
32A Mini MCB	P8032	570	P8032_PG	668

* Available till stocks lasts

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



P1186MS



P6002



P6004



P0703



P0704

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Motor Starter Switch				
25A Motor Starter switch	P1186MS	1478	P1186MS_PG	2002
Hotel Series				
DND Switch	P6002	350	P6002_PG	399
MMR Switch	P6004	350	P6004_PG	399
DND & MMR Indicator	P6013	987	P6013_PG	1271
20A Key Card Switch - Electronic (3M)	P6005	5155	P6005_PG	6872

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Cover Plates				
1-2 M Grid & 1 M Cover Frame	P0701	162	P0701_PG	215
1-2 M Grid & 2 M Cover Frame	P0702	162	P0702_PG	200
3 M Grid & 3 M Cover Frame	P0703	204	P0703_PG	235
4 M Grid & 4 M Cover Frame	P0704	236	P0704_PG	292
6 M Grid & 6 M Cover Frame	P0706	302	P0706_PG	383
8 M Grid & 8 M Cover Frame - Horizontal	P0708	396	P0708_PG	480
8 M Grid & 8 M Cover Frame - Square	P0709	478	P0709_PG	652
9 M Grid & 9M Cover Frame	P07010	443	P07010_PG	604
12 M Grid & 12 M Cover Frame	P0712	579	P0712_PG	697
16 M Grid & 16M Cover Frame	P07016	689	P07016_PG	823
18 M Grid & 18 M Cover Frame	P0718	849	P0718_PG	1136


Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



Miluz ZeTa

Little things, big impact



Glossy White
+Glossy White switch



Matte Anthracite
+Matt Anthracite Switch




Metallic
Champagne Gold
+Anthracite switch



Metallic
Warm Grey
+Metallic Warm Grey
Switch



Metallic Silver Grey
+Anthracite switch



Metallic Bronze
+Anthracite switch

A Smarter Way to Live:

- Unique 'see-saw' design offering a 'crisp click' experience
- Sleek cover frame shows off a simple yet elegant design
- 6 curated color frames with 3 switch color options

Durability and Safety:

- The durable copper contact offers enhanced durability and lifespan
- No single pin insertion – offers utmost safety

Effortless Installation:

- Slotted screws – to facilitate easy & quick installation
- Easy universal alignment – Vertical & Horizontal mounting to optimize space and add flexibility
- Keyhole feature on grid plates enables faster installation

Seamless Connectivity:

- Seamless compatibility with Wiser™

Sustainability:

- RoHS, REACH, PEP, EoLI compliance for the highest Environmental Data standards
- Brown paper packaging for better ecological impact

Now Miluz ZeTa comes with the 10 years of warranty



MZSW101M1W_WH



MZSWI202MDP_WH



MZSW101M1W_AN



MZSW101M2W_AN



MZSW101M1W_WG



MZSWI202MDP_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Switches									
10A 1 Way Switch	MZSW101M1W_WH	145	20	MZSW101M1W_AN	174	20	MZSW101M1W_WG	174	20
10A 1 Way Switch (2M)	MZSW102M1W_WH	330	10	MZSW102M1W_AN	396	10	MZSW102M1W_WG	396	10
10A 1 Way Switch with Indicator	MZSWI101M1W_WH	320	20	MZSWI101M1W_AN	384	20	MZSWI101M1W_WG	384	20
10A 1W Switch with Ind (2M)	MZSWI102M1W_WH	390	10	MZSWI102M1W_AN	468	10	MZSWI102M1W_WG	468	10
10A 2 Way Switch	MZSW101M2W_WH	265	20	MZSW101M2W_AN	318	20	MZSW101M2W_WG	318	20
16A 1 Way Switch	MZSW161M1W_WH	290	20	MZSW161M1W_AN	348	20	MZSW161M1W_WG	348	20
16A 1 Way Switch (2M)	MZSW162M1W_WH	500	10	MZSW162M1W_AN	600	10	MZSW162M1W_WG	600	10
16A 1 Way Switch with Indicator	MZSWI161M1W_WH	395	20	MZSWI161M1W_AN	474	20	MZSWI161M1W_WG	474	20
16A 1W Switch with Indicator (2M)	MZSWI162M1W_WH	550	10	MZSWI162M1W_AN	660	10	MZSWI162M1W_WG	660	10
16A 2Way Switch	MZSW161M2W_WH	450	20	MZSW161M2W_AN	540	20	MZSW161M2W_WG	540	20
20A DP Switch with Indicator (2M)	MZSWI202MDP_WH	660	10	MZSWI202MDP_AN	792	10	MZSWI202MDP_WG	792	10
32A DP Switch with Indicator (2M)	MZSWI322MDP_WH	1090	10	MZSWI322MDP_AN	1308	10	MZSWI322MDP_WG	1308	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. February 03rd, 2025



MZSWI202MDP_WG



MZMOTSTR2M_AN



MZMOTSTR2M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Motor Starter Switch									
25A Motor Starter Switch	MZMOTSTR2M_WH	1550	10	MZMOTSTR2M_AN	1860	10	MZMOTSTR2M_WG	1860	10



MZBP1M_WH



MZBP1M_AN



MZBP2M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Bell Push Switch									
6A Bell Push	MZBP1M_WH	280	20	MZBP1M_AN	336	20	MZBP1M_WG	336	20
6A Bell Push (2M)	MZBP2M_WH	420	10	MZBP2M_AN	504	10	MZBP2M_WG	504	10
6A Bell Push with Indicator	MZBPI1M_WH	360	20	MZBPI1M_AN	432	20	MZBPI1M_WG	432	20
6A Bell Push with Indicator (2M)	MZBPI2M_WH	490	10	MZBPI2M_AN	588	10	MZBPI2M_WG	588	10



MZSO6162M3P_WH



MZSO62M3P_AN



MZSO62M3P_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Sockets									
6A/16A 3P Socket with Shutter	MZSO6162M3P_WH	410	10	MZSO6162M3P_AN	492	10	MZSO6162M3P_WG	492	10
6A 3 Pin Socket with Shutter	MZSO62M3P_WH	250	10	MZSO62M3P_AN	300	10	MZSO62M3P_WG	300	10



MZFR4STP1M_WH



MZFR5STP2M_AN



MZDMR1M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Fan Regulators & Dimmers									
4-Step Fan Regulator (1M)	MZFR4STP1M_WH	940	20	MZFR4STP1M_AN	1128	20	MZFR4STP1M_WG	1128	20
5-Step Fan Regulator (2M)	MZFR5STP2M_WH	1120	10	MZFR5STP2M_AN	1344	10	MZFR5STP2M_WG	1344	10
400W Dimmer (1M)	MZDMR1M_WH	1360	10	MZDMR1M_AN	1632	10	MZDMR1M_WG	1632	10
Universal LED Dimmer (1M)	MZDMRUNI1M_WH*	-	-	MZDMRUNI1M_AN*	-	-	MZDMRUNI1M_WG*	-	-



MZUSBAC2MPDH_WH



MZUSBA1M_AN



MZUSBA1M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
USB Charger									
2.1A USB Charger (1M)	MZUSBA1M_WH	2200	10	MZUSBA1M_AN	2640	10	MZUSBA1M_WG	2640	10
1M 12W A+C Type USB Charger	MZUSBAC1M_WH	3050	20	MZUSBAC1M_AN	3660	20	MZUSBAC1M_WG	3660	20
A+C USB Charger PD Hztl 2M	MZUSBAC2MPDH_WH	4200	10	MZUSBAC2MPDH_AN	5040	10	MZUSBAC2MPDH_WG	5040	10

*Prices will be shared on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



MZRJ111M_WH



MZHDMI1M_WH



MZBLANK1M_AN



MZTV1M_AN



MZRJ111M_WG



MZTV1M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Accessories									
RJ11 Tel Shuttered 1M	MZRJ111M_WH	260	10	MZRJ111M_AN	312	10	MZRJ111M_WG	312	10
RJ45 Cat6 Outlet Shuttered 1M	MZRJ451M_WH	950	10	MZRJ451M_AN	1140	10	MZRJ451M_WG	1140	10
TV Socket 1M	MZTV1M_WH	245	10	MZTV1M_AN	294	10	MZTV1M_WG	294	10
Preterminated HDMI socket 1M	MZHDMI1M_WH	1650	10	MZHDMI1M_AN	1980	10	MZHDMI1M_WG	1980	10
Door Chime 2M	MZDRCHM2M_WH	1600	10	MZDRCHM2M_AN	1920	10	MZDRCHM2M_WG	1920	10
Blank Off Unit (1M)	MZBLANK1M_WH	62	20	MZBLANK1M_AN	74	20	MZBLANK1M_WG	74	20
LED PhaseInd (Red)	MZPHSIND1M_RD	350	10	-	-	-	-	-	-
IP Cover 2M, Grey	MZIPCVR2M_GY*	-	-	-	-	-	-	-	-
IP Cover 3M, Grey	MZIPCVR3M_GY*	-	-	-	-	-	-	-	-



MZKECRDSW2M_WH



MZDMSW2M_WH



MZKECRDSW2M_AN



MZDMSW2M_AN



MZKECRDSW2M_WG



MZDMSW2M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Hotel Series									
Electronic Keycard Switch 2M	MZKECRDSW2M_WH	5300	4	MZKECRDSW2M_AN	6360	4	MZKECRDSW2M_WG	6360	4
DND MMR Switch (2M)	MZDMSW2M_WH	900	10	MZDMSW2M_AN	1080	10	MZDMSW2M_WG	1080	10
110V Shaver Socket Horizontal	MZSHVRSO3M_WH	4500	1	MZSHVRSO3M_AN	5400	1	MZSHVRSO3M_WG	5400	1
DND MMR Indicator	MZDMI1M_NA	700	10	-	-	-	-	-	-



MZWSO62M_WH



MZAQI2M_AN



MZVSP1M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Innovative Functions									
6A Switched Socket 2M	MZWSO62M_WH	450	10	MZWSO62M_AN	540	10	MZWSO62M_WG	540	10
Air Quality Indicator, 2M	MZAQI2M_WH*	-	-	MZAQI2M_AN*	-	-	MZAQI2M_WG*	-	-
Voltage Surge Protector 1M	MZVSP1M_WH	2400	10	MZVSP1M_AN	2880	10	MZVSP1M_WG	2880	10
Foot lamp with Motion Sensor 2M	MZFTLMPSEN2M_WH*	-	-	MZFTLMPSEN2M_AN*	-	-	MZFTLMPSEN2M_WG*	-	-



MZMM161P_WH



MZMM161P_AN



MZMM161P_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
MCB									
16 A MCB SP 1 M C curve	MZMM161P_WH	850	10	MZMM161P_AN	1020	10	MZMM161P_WG	1020	10
20 A MCB SP 1 M C curve	MZMM201P_WH	850	10	MZMM201P_AN	1020	10	MZMM201P_WG	1020	10
32 A MCB SP 1 M C curve	MZMM321P_WH	850	10	MZMM321P_AN	1020	10	MZMM321P_WG	1020	10

*Prices will be shared on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



MZCP1M_WH



MZCP6M_AN



MZCP4M_WG


Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Cover Plates									
1M or 2M Grid & 1M Cover Frame	MZCP1M_WH	174	20	MZCP1M_AN	218	20	MZCP1M_WG	218	20
1M or 2M Grid & 2M Cover Frame	MZCP2M_WH	174	20	MZCP2M_AN	218	20	MZCP2M_WG	218	20
3M Grid & 3M Cover Frame	MZCP3M_WH	220	10	MZCP3M_AN	275	10	MZCP3M_WG	275	10
3M Uni Grid & 3M Cover Frame	MZCP3MU_WH	240	10	MZCP3MU_AN	300	10	MZCP3MU_WG	300	10
4M Grid & 4M Cover Frame	MZCP4M_WH	255	14	MZCP4M_AN	319	14	MZCP4M_WG	319	14
6M Grid & 6M Cover Frame	MZCP6M_WH	340	5	MZCP6M_AN	425	5	MZCP6M_WG	425	5
8M Grid & 8M Cover Frame Linear	MZCP8MH_WH	430	5	MZCP8MH_AN	538	5	MZCP8MH_WG	538	5
8M Grid & 8M Cover Frame Square	MZCP8MS_WH	580	5	MZCP8MS_AN	725	5	MZCP8MS_WG	725	5
9M Cover Frame + 8M Grid	MZCP9M_WH	550	5	MZCP9M_AN	688	5	MZCP9M_WG	688	5
12M Grid & 12M Cover Frame	MZCP12M_WH	700	5	MZCP12M_AN	875	5	MZCP12M_WG	875	5
16M Cover Frame & Grid	MZCP16M_WH	840	5	MZCP16M_AN	1050	5	MZCP16M_WG	1050	5
18M Grid & 18M Cover Frame	MZCP18M_WH	970	5	MZCP18M_AN	1213	5	MZCP18M_WG	1213	5



MZCP3MU_CG



MZCP2M_SG




MZCP8M_BZ

Description	Reference for Champagne Gold	Unit MRP [₹]	Box Qty.	Reference for Silver Grey	Unit MRP [₹]	Box Qty.	Reference for Bronze	Unit MRP [₹]	Box Qty.
Cover Plates									
1M or 2M Grid & 1M Cover Frame	MZCP1M_CG	218	20	MZCP1M_SG	218	20	MZCP1M_BZ	218	20
1M or 2M Grid & 2M Cover Frame	MZCP2M_CG	218	20	MZCP2M_SG	218	20	MZCP2M_BZ	218	20
3M Grid & 3M Cover Frame	MZCP3M_CG	275	10	MZCP3M_SG	275	10	MZCP3M_BZ	275	10
3M Uni Grid & 3M Cover Frame	MZCP3MU_CG	300	10	MZCP3MU_SG	300	10	MZCP3MU_BZ	300	10
4M Grid & 4M Cover Frame	MZCP4M_CG	319	14	MZCP4M_SG	319	14	MZCP4M_BZ	319	14
6M Grid & 6M Cover Frame	MZCP6M_CG	425	5	MZCP6M_SG	425	5	MZCP6M_BZ	425	5
8M Grid & 8M Cover Frame Linear	MZCP8MH_CG	538	5	MZCP8MH_SG	538	5	MZCP8MH_BZ	538	5
8M Grid & 8M Cover Frame Square	MZCP8MS_CG	725	5	MZCP8MS_SG	725	5	MZCP8MS_BZ	725	5
9M Cover Frame + 8M Grid	MZCP9M_CG	688	5	MZCP9M_SG	688	5	MZCP9M_BZ	688	5
12M Grid & 12M Cover Frame	MZCP12M_CG	875	5	MZCP12M_SG	875	5	MZCP12M_BZ	875	5
16M Cover Frame & Grid	MZCP16M_CG	1050	5	MZCP16M_SG	1050	5	MZCP16M_BZ	1050	5
18M Grid & 18M Cover Frame	MZCP18M_CG	1213	5	MZCP18M_SG	1213	5	MZCP18M_BZ	1213	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.


Wiring Diagram Miluz ZeTa



> Air Quality Indicator


MZAQI2M_WH, MZAQI2M_AN, MZAQI2M_WG

Universal LED Dimmer



> Dimmer


MZDMRUNI1M_WH, MZDMRUNI1M_AN,
MZDMRUNI1M_WG



> Door Chime

MZDRCHM2M_WH, MZDRCHM2M_AN,
MZDRCHM2M_WG

21 W USB Charger Type (A+C)



2 modules

> USB Chargers

MZUSBAC2MPD_WH, MZUSBAC2MPD_
AN, MZUSBAC2MPD_WG

10 Years Warranty T&C

- Schneider Electric shall, at its sole discretion, repair or replace switches upto 16A (without LED indicator/lamp) and or 6A & 16A sockets in white color only if the Product is found to be having manufacturing defect (means defects solely as a result of faulty material and/or workmanship during manufacturing of Product) within 10 years from the date of manufacture of Product or from the date of invoice of Product, whichever is earlier.
- For all other wiring accessories, the warranty shall be 18 months starting from the date of delivery or 24 months from the date of manufacturing, whichever is earlier
- The warranty defines Schneider Electric's overall sole liability which does not include any other liability whatsoever including without limitation consequential losses or damages or re-installation costs arising from or in relation to the defective products.
- Schneider Electric reserves the right to change and/or improve the design of its Products without prior notice
- In any event whatsoever, if same Product with a similar design is not available, the Product will be replaced with an equivalent model available at that time at sole discretion of Schneider Electric.
- ***This warranty for the above products shall be rendered null & void in case of the following:***
 - a. If the original Schneider Electric mounting boxes have not been used to mount the plates & accessories.
 - b. If any attempt has been made to rectify, dismantle, tamper, or alter the product by any third party or by the customer himself.
 - c. If any damage resulting from the use of any cleaning chemicals on the Product which can adversely affect the product material (Like Acetone, Thinner, turpentine Oil etc.)
 - d. If the products are not installed as per the appropriate design specifications
- Warranty facilitations as per the standard process where customer to contact Customer Care Center (Email, Toll Free, chat) with relevant details & Log the complaint.

Clipsal X - As Stylish As Your World



Xtra STYLE

- Trendy Dual tone colour and finish
- Contemporary sloped design that blends seamlessly with the wall
- Vibrant and youthful colours and textured finishes that can stand out or blend in
- Textured finishes to match most Indian decors – Wood, Slate & Leather

Xtra STRONG

- Made to last for more than 1 Million Clicks
- 10A rated switches to enable Grouping – add as many loads as you want
- UV Stabilized to avoid decoloring

Xtra COMFORT

- Least noise level for unobtrusive switching
- Smooth finish which avoids light reflection off the surface
- Glossy Band making it Easy to Clean
- Large plate overhang to hide wall & paint imperfections



CPX101SW1M_WE



CPX161SWL1M_WE



CPX20DP2M_WE



CPX6SK3PNS_WE



CPXACUSB1P1M_WE



CPX5STFAN2M_WE



CPX21USB1P1M_WE



CPXACUSB1P1M_WE



CPXTVCOAX1M_WE



CPXKEYCARDSW_WE



CPXDNDIN1M_WE

Description	Reference for White	Unit MRP (₹)	Pack	Reference for Coke Grey	Unit MRP (₹)	Pack
Switches						
10AX 1 Way Switch	CPX101SW1M_WE	135	20	CPX101SW1M_GY	245	20
10A X1 Way Switch with Indicator	CPX101SWL1M_WE	333	20	CPX101SWL1M_GY	398	1
10AX 2 Way Switch	CPX102SW1M_WE	283	20	CPX102SW1M_GY	345	20
16AX 1 Way Switch	CPX161SW1M_WE	345	1	CPX161SW1M_GY	427	1
16AX 1 Way Switch with Indicator	CPX161SWL1M_WE	454	20	CPX161SWL1M_GY	539	20
16AX 1W Switch with Indicator (2M)	CPX161SWL2M_WE	558	1	-	-	-
20A DP Switch with Indicator (2M)	CPX20DP2M_WE	782	1	CPX20DP2M_GY	904	1
32A DP Switch with Indicator (2M)	CPX32DP2M_WE	1179	1	CPX32DP2M_GY*	1784	10
Motor Starter Switch						
25A Motor Starter Switch	CPXMTSTART2M_WE	1324	10	CPXMTSTART2M_GY	2452	10
Bell Press						
6A Bell Push	CPX6BP1M_WE	324	20	-	-	-
Sockets						
6A 3P Socket Outlet with Shutter (BIS Std.)	CPX6SK3PNS_WE	364	10	CPX6SK3PNS_GY	417	10
6A/16A 3P Socket with Shutter	CPX616SK_WE	551	10	CPX616SK_GY	629	10
Fan Regulators and Dimmers						
5-Step Fan Regulator (2M)	CPX5STFAN2M_WE	1225	1	CPX5STFAN2M_GY	1481	5
4-Step Fan Regulator (1M), White	CPX4STFRM1M_WE	1117	10	CPX4STFRM1M_GY	1350	10
USB Chargers						
2.1A USB Charger (1M)	CPX21USB1P1M_WE	2023	1	CPX21USB1P1M_GY	2389	1
2.4A A+C USB Charger (1M)	CPXACUSB1P1M_WE	3454	10	CPXACUSB1P1M_GY	3727	10
Accessories						
RJ11 Tel Outlet, No Shutter	CPXRJ11NS1M_WE	298	5	-	-	-
RJ11 Tel Outlet with Shutter	CPXRJ11_1M_WE	289	5	CPXRJ11_1M_GY	345	5
RJ45 Data Outlet with Shutter	CPXRJ451M_WE	987	12	CPXRJ451M_GY	1157	12
TV Socket	CPXTVCOAX1M_WE	271	5	CPXTVCOAX1M_GY	330	5
RJ45 Cover for Keystone Type	CPXRJ45KS1M_WE	338	5	-	-	-
Foot Light with LED	CPXFTLP2M_WE	1329	5	CPXFTLP2M_GY	1580	5
Buzzer	CPXBUZZ2M_WE	1324	2	CPXBUZZ2M_GY	1387	2
Blank Off Unit (1M)	CPXBLANK1M_WE	76	5	CPXBLANK1M_GY	102	5
Neon Phase Indicator						
Neon Phase Indicator (Red)	CPXPHASER1M	474	12	-	-	-
Hotel Series						
DND Indicator	CPXDNDIN1M_WE	737	12	-	-	-
16A Electronic Keycard Switch	CPXKEYCARDSW_WE	6409	1	CPXKEYCARDSW_GY	7231	1
Shaver Socket Horizontal	-	-	-	CPXSHAVER_GY	7965	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Clipsal X - As Stylish As Your World



White



Coke Grey



Metallic Copper



Charcoal Black

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Metallic Copper	Unit MRP [₹]	Pack	Reference for Charcoal Black	Unit MRP [₹]	Pack
Cover Plates												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_WE	196	1	CPXCP1M_GY	336	10	CPXCP1M_MC	389	10	-	-	-
1M or 2M Grid & 2M Cover Frame	CPXCP2M_WE	212	10	CPXCP2M_GY	362	10	CPXCP2M_MC	422	10	CPXCP2M_CB	422	10
3M Grid & 3M Cover Frame	CPXCP3M_WE	243	10	CPXCP3M_GY	411	10	CPXCP3M_MC	483	10	CPXCP3M_CB	483	10
4M Grid & 4M Cover Frame	CPXCP4M_WE	287	1	CPXCP4M_GY	486	10	CPXCP4M_MC	568	10	-	-	-
6M Grid & 6M Cover Frame	CPXCP6M_WE	416	5	CPXCP6M_GY	706	5	CPXCP6M_MC	826	1	CPXCP6M_CB	826	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_WE	515	1	CPXCP8ML_GY	875	5	CPXCP8ML_MC	1023	5	CPXCP8ML_CB	1023	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_WE	557	1	-	-	-	-	-	-	-	-	-
9M Cover Frame	CPXCP9M_WE	549	5	-	-	-	-	-	-	-	-	-
12M Grid & 12M Cover Frame	CPXCP12M_WE	629	1	CPXCP12M_GY	1269	1	-	-	-	-	-	-
18M Grid & 18M Cover Frame	CPXCP18M_WE	972	5	-	-	-	-	-	-	-	-	-



Sheesham


Description	Reference for Sheesham	Unit MRP (₹)	Pack
Cover Plates			
1M or 2M Grid & 1M Cover Frame	CPXCP1M_SH	616	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_SH	668	1
3M Grid & 3M Cover Frame	CPXCP3M_SH	762	10
4M Grid & 4M Cover Frame	CPXCP4M_SH	898	1
6M Grid & 6M Cover Frame	CPXCP6M_SH	1304	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_SH	1617	5
12M Grid & 12M Cover Frame	CPXCP12M_SH	2242	5

Please contact Customer Care Center for Stockable and Non stockable status of references.


*Bold references are MTO reference.

W.E.F. February 03rd, 2025


Wiring Diagram Clipsal X




> 20A DP Switch with Indicator (2M)
CPX20DP2M_WE, CPX20DP2M_GY



> 32A DP Switch with Indicator (2M)
CPX32DP2M_WE, CPX32DP2M_GY




> 16A Electronic Keycard Switch
CPXKEYCARDSW_WE, CPXKEYCARDSW_GY



> MMR Switch > DND Indicator
CPXMMRSW1M_WE, CPXDNDIN1M_WE

Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WHNS



X2106WH



X3200WHCM



X3104WH



X7003WH



X5001

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 way switch	X1001WH	246	20	AAKY1001	312	20
6AX 1 way switch with Indicator lamp	X1081WH	461	20	-	-	-
6AX 2 way switch	X1002WH	345	20	-	-	-
16AX 1 way switch	X1101WH	395	20	AAKY1101	499	20
16AX 1 way switch with Indicator lamp	X1181WH	564	20	AAKY1181	659	20
16AX 2 way switch	X1102WH	532	20	-	-	-
20A DP switch with Indicator (2M)	X1286WH	932	10	-	-	-
32A DP switch (2M)	AAKX1232	1375	10	-	-	-
Motor Starter Switch						
25A Motor Starter switch	X1186WH	2590	10	-	-	-
Bell Push						
6A Bell Push	X1005WH	386	20	-	-	-
6A Bell Push (2M)	X1025WH	552	10	-	-	-
6A Bell Push with Indicator	X1085WH	594	20	-	-	-
Sockets						
6A 3-Pin Socket Outlet with Shutter (BIS)	X2005WHNS	420	10	AAXY2005NS	507	10
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	648	10	AAKY2106	771	10
Fan Regulators & Dimmers						
Step Fan Regulator (1M)	X3100CMWH	1076	10	AAXY3100CM	1341	10
Step Type Fan Regulator (2M)	X3200WHCM	1464	5	AAXY3200CM	1837	5
Dimmer 400W (1M)	X3104WH	1356	10	-	-	-
Dimmer 400W (2M)	X3004WH	2110	5	-	-	-
USB Chargers						
2 Gang USB Charger - 2.1A (2M)	X7003WH	4006	15	-	-	-
Accessories						
RJ11 Telephone outlet with shutter	X4011WH	345	10	-	-	-
RJ45 Data Outlet with shutter	X4045WH	1188	20	-	-	-
TV Socket	X4500WH	323	10	-	-	-
RJ45 Cover for Key Stone Type	X4050WH	479	10	-	-	-
Buzzer	X3300WH	1577	2	-	-	-
Blank off unit (1M)	X0001WH	91	10	-	-	-
Neon Phase Indicator (Red)	X5001	559	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Opale - Switches with Satin Finish



AAKX6006



AAKX6005

Description	Reference	Unit MRP [₹]	Pack
Hotel Series*			
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	1957	1
Shaver Socket	AAKX6006	8636	1

*Available in white colour only



X0703



X0704



X0708

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Cover Plates						
1-2 M Grid & 1 M Cover Frame	X0701	224	10	AAKY0801	295	10
1-2 M Grid & 2 M Cover Frame	X0702	237	10	-	-	-
3 M Grid & 3 M Cover Frame	X0703	280	10	AAKY0803	341	10
4 M Grid & 4 M Cover Frame	X0704	329	10	-	-	-
6 M Grid & 6 M Cover Frame	X0706	458	5	AAKY0806	548	5
8 M Grid & 8 M Cover Frame - Horizontal	X0708	596	5	-	-	-
8 M Grid & 8 M Cover Frame - Square	X0709	711	5	-	-	-
12 M Grid & 12 M Cover Frame	X0712	844	5	AAKY0812	1272	5
18 M Grid & 18 M Cover Frame	AAKX0718	1100	5	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Unica Pure - Irresistibly Beautiful



Wood




Glass



Metal Rhodium
Black



Sandy Beige



Polar White



Volcanic Grey



Pearl Black



Pewter Grey



Oak

Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch
- Plated metal with Plastic over molded Gridplate - Robust, rigid & shock proof gridplate, ensuring durable installation on the metal box

Irresistibly Easy

- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

Irresistibly Versatile


- One Stop Shop - Extensive range covering residential, office, commercial or hospitality
- **Intermediate switches to control multiple 2way switches**

Unica Pure switches with six patented technologies




Life Guarded Sockets

Eliminate possibility of Single Pin Insertion making it extra safe for children



Facile & Guarded Technology

Reduces tension in the switch rocker & increases the longevity of the switch




Key Hole Feature

Angular and linear adjustments of the gridplate can be easily achieved



Adjoining (V) Feature Technology

Ensuring perfect alignment of switches



Self-piercing Terminal

Ensuring completely safe, robust and fast installation

Unica Pure - Irresistibly Beautiful



UNS61SW1M_WE



UNS161SWL1M_WE



UNS162MSWL1M_WE



UNS10SW1M_WE



UNS6SK3P2MNS_WE



UNS616SK2M_WE



UNS162SW2M_WE



UNSMTSTART2M_WE



UNS21USB2P2M_WE



UNS21USB1P1M_WE



UNS5STFAN2M_WE



UNSACUSB1P1M_WE



UNSHDMI_WE



UNSCPTVDIG1M_WE



UNSSKTLT2M_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
6A Switches						
6AX 1 Way Switch	UNS61SW1M_WE	227	20	UNS61SW1M_GY	261	20
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	402	20	UNS61SWL1M_GY	460	20
6AX 2 Way Switch	UNS62SW1M_WE	323	10	UNS62SW1M_GY	361	10
10A Intermediate Switches						
10AX Intermediate Switch	UNS10SW1M_WE	1446	1	UNS10SW1M_GY	1744	1
16AX Switches						
16AX 1 Way Switch	UNS161SW1M_WE	374	20	UNS161SW1M_GY	437	20
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	448	20	UNS161SWL1M_GY	521	20
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	497	10	UNS162SW1M_GY	585	10
16A Master Switch, 2 Way, With Locator & Label	UNS162MSWL1M_WE	1156	20	UNS162MSWL1M_GY	1366	1
16Ax 2 Way 2M Switch	UNS162SW2M_WE	501	10	UNS162SW2M_GY	595	10
16AX~20A 1Way switch with Neon indicator	UNS201SWL1M_WE	440	10	UNS201SWL1M_GY	520	10
Double Pole Switches						
20A Double Pole Switch With Indicator	UNS20DP2M_WE	894	10	UNS20DP2M_GY	1053	1
32A Double Pole Switch With Indicator	UNS32DP2M_WE	1355	10	UNS32DP2M_GY	1623	10
Motor Starter Switch						
Motor Starter	UNSMTSTART2M_WE	2037	10	UNSMTSTART2M_GY	2410	10
Bell Switches						
6A Bellpress, 1M	UNS6BP1M_WE	333	20	UNS6BP1M_GY	391	20
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	461	20	UNS6BPL1M_GY	551	1
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	458	10	UNS6BP2M_GY	539	1
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	565	10	UNS6BPL2M_GY	663	1
6A Sockets						
6A 3PIN Sockets outlet with Shutter (BIS)	UNS6SK3P2MNS_WE	476	10	UNS6SK3P2MNS_GY	524	10
6/16A Sockets						
6/16A Socket	UNS616SK2M_WE	557	10	UNS616SK2M_GY	692	10
USB Chargers						
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	3410	10	UNS21USB2P2M_GY	4030	1
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	2344	20	UNS21USB1P1M_GY	2780	20
2.4A 5V A+C USB Charger, 1 Module	UNSACUSB1P1M_WE	3610	10	UNSACUSB1P1M_GY	4060	10
Blank Plates						
Single Module Blank Plate	UNSBLANK1M_WE	82	20	UNSBLANK1M_GY	91	20
Fan Regulators						
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	981	20	UNS4STFAN1M_GY	1136	20
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1554	10	UNS5STFAN2M_GY	1754	10
Emergency Light Indicator						
Emergency Light Module*	UNSEMERGENCY2M_WE	11536	1	-	-	-
Network, Connectivity & Media Series						
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	313	20	UNSRJ11_1M_GY	368	20
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	1139	20	UNSRJ45_1M_GY	1319	20
TV Socket Coaxial	UNSTVCOAX1M_WE	328	20	UNSTVCOAX1M_GY	389	20
Volume Control	UNSVOLCTRL2M_WE	2583	10	UNSVOLCTRL2M_GY	3080	10
HDMI	UNSHDMI_WE	2204	20	UNSHDMI_GY	2486	20
TV Socket Digital (F-Connector)	UNSCPTVDIG1M_WE	372	1	-	-	-
PIR Motion Sensor*	UNSPIR_WE	10869	4	-	-	-
Skirt Light with LED, 2M	UNSSKTLT2M_WE	1449	10	UNSSKTLT2M_GY	1696	10
Door Chime 230V AC 2M	UNSICHIME2M_WE	1550	-	UNSICHIME2M_GY	1700	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Unica Pure - Irresistibly Beautiful



UNSEKCSW_WE



UNSCURTAINSW2M_WE



UNSSHAVER_WE



UNSPIR_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
Hotel Series*						
Buzzer	UNSBUZZER1M_WE	2236	10	UNSBUZZER1M_GY	2451	10
Cord Outlet	UNSCORD1M_WE	428	20	UNSCORD1M_GY	476	20
DND / MMR Indicator*	UNSDM1M	1505	20	-	-	-
DND/MMR Indicator v.2	UNSDM1M_WE	1774		UNSDM1M_GY	2027	-
DND Switch	UNSDNDSW1M_WE	600	10	UNSDNDSW1M_GY	732	10
MMR Switch	UNSMMRSW1M_WE	600	10	UNSMMRSW1M_GY	732	10
SW DND MMR with interlock	UNSDNDMMRSW2M_WE	1000	10	UNSDNDMMRSW2M_GY	1200	10
Electronic Keycard Switch, White	UNSEKCSW_WE	7987	5	UNSEKCSW_GY	9232	5
Electronic Keycard Switch, Sandy Beige	UNSEKCSW_CL	8343	5	UNSEKCSW_CD	8231	5
Curtain Control Switch	UNSCURTAINSW2M_WE	1082	10	UNSCURTAINSW2M_GY	1255	10
Shaver Socket	UNSSHAVER_WE	8338	1	UNSSHAVER_GY	9093	1



UNSPHASEG1M



UNSPHASER1M

Description	Reference	Unit MRP [₹]	Pack
LED Phase Indicator			
LED Phase Indicator, Red	UNSPHASER1M	533	20
LED Phase Indicator, Green	UNSPHASEG1M	533	20
LED Phase Indicator, Yellow	UNSPHASEY1M	533	20

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Unica Pure - Irresistibly Beautiful



UNPGP2M



UNPGP6M

Description	Reference for Gridplate	Unit MRP [₹]	Pack
Cover Plates			
2 Module Gridplate (Fixing Frame) Only	UNPGP2M	181	4
3 Module Gridplate (Fixing Frame) Only	UNPGP3M	221	9
4 Module Gridplate (Fixing Frame) Only	UNPGP4M	255	8
6 Module Gridplate (Fixing Frame) Only	UNPGP6M	346	9
8 Module Gridplate (Fixing Frame) Only, Linear	UNPGP8ML	357	9
8 Module Gridplate (Fixing Frame) Only, Square	UNPGP8MSQ	457	6
12 Module Gridplate (Fixing Frame) Only	UNPGP12M	533	6



UNPSP2M_WD



UNPSP6M_WD

Description	Reference for Oak Wood	Unit MRP [₹]	Pack
Cover Plates			
1 Module Wood Cover Frame Only	UNPSP1M_WD	2577	6
2 Module Wood Cover Frame Only	UNPSP2M_WD	2739	6
3 Module Wood Cover Frame Only	UNPSP3M_WD	3390	6
4 Module Wood Cover Frame Only	UNPSP4M_WD	3923	6
6 Module Wood Cover Frame Only	UNPSP6M_WD	5598	3
8 Module Wood Cover Frame Only, Linear	UNPSP8ML_WD	6803	3
8 Module Wood Cover Frame Only, Square	UNPSP8MSQ_WD	8115	6
12 Module Wood Cover Frame Only	UNPSP12M_WD	10850	6



UNPSP2M_GW



UNPSP6M_GW



UNPSP2M_GB



UNPSP6M_GB

Description	Reference for Aqua Glass	Unit MRP [₹]	Pack	Reference for Pearl Black Glass	Unit MRP [₹]	Pack
Cover Plates						
1 Module Aqua Glass Cover Frame Only	UNPSP1M_GW	1425	6	UNPSP1M_GB	1687	6
2 Module Aqua Glass Cover Frame Only	UNPSP2M_GW	1603	6	UNPSP2M_GB	1897	6
3 Module Aqua Glass Cover Frame Only	UNPSP3M_GW	1805	6	UNPSP3M_GB	2063	6
4 Module Aqua Glass Cover Frame Only	UNPSP4M_GW	1886	6	UNPSP4M_GB	2236	6
6 Module Aqua Glass Cover Frame Only	UNPSP6M_GW	3407	3	UNPSP6M_GB	4019	3
8M Aqua Glass Cover Frame Only, Linear	UNPSP8ML_GW	3872	3	UNPSP8ML_GB	4561	3
8M Aqua Glass Cover Frame Only, Square	UNPSP8MSQ_GW	4904	6	UNPSP8MSQ_GB	5779	6
12 Module Aqua Glass Cover Frame Only	UNPSP12M_GW	6111	6	UNPSP12M_GB	7192	6

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.


Unica Pure - Irresistibly Beautiful



UNPSP2M_ML



UNPSP6M_ML



UNPSP2M_MD



UNPSP6M_MD

Description	Reference for Pewter Grey Metal	Unit MRP [₹]	Pack	Reference for Black Metal	Unit MRP [₹]	Pack
Cover Plates						
1 Module Pw Grey Metal Cover Frame Only	UNPSP1M_ML	2546	6	UNPSP1M_MD	2546	6
2 Module Pw Grey Metal Cover Frame Only	UNPSP2M_ML	2826	6	UNPSP2M_MD	2826	6
3 Module Pw Grey Metal Cover Frame Only	UNPSP3M_ML	3216	6	UNPSP3M_MD	3216	6
4 Module Pw Grey Metal Cover Frame Only	UNPSP4M_ML	3381	6	UNPSP4M_MD	3381	6
6 Module Pw Grey Metal Cover Frame Only	UNPSP6M_ML	5987	3	UNPSP6M_MD	5987	3
8Module Pw Grey Metal CF Only, Linear	UNPSP8ML_ML	6745	3	UNPSP8ML_MD	6745	3
8 Module Pw Grey Metal CF Only, Suare	UNPSP8MSQ_ML	8568	6	UNPSP8MSQ_MD	8568	6
12Module Pw Grey Metal Cover Frame Only	UNPSP12M_ML	10628	6	UNPSP12M_MD	10628	6



UNSCP2M_WE



UNSCP6M_WE



UNSCP2M_GY



UNSCP6M_GY



UNSCP2M_CD



UNSCP6M_CD



UNSCP2M_CL



UNSCP6M_CL


Description	Reference for Molded Polar White	Unit MRP [₹]	Pack	Reference for Molded Volcanic Grey	Unit MRP [₹]	Pack	Reference for Painted Mocha Brown	Unit MRP [₹]	Pack	Reference for Painted Sandy Biege	Unit MRP [₹]	Pack
Cover Plates												
1 Module Plastic Surround and Gridplate	UNSCP1M_WE	252	20	UNSCP1M_GY	358	20	UNSCP1M_CD	482	20	UNSCP1M_CL	491	20
2 Module Plastic Surround and Gridplate	UNSCP2M_WE	281	20	UNSCP2M_GY	401	20	UNSCP2M_CD	538	20	UNSCP2M_CL	557	20
3 Module Plastic Surround and Gridplate	UNSCP3M_WE	321	10	UNSCP3M_GY	457	10	UNSCP3M_CD	627	10	UNSCP3M_CL	625	10
4 Module Plastic Surround and Gridplate	UNSCP4M_WE	339	14	UNSCP4M_GY	488	14	UNSCP4M_CD	655	14	UNSCP4M_CL	655	14
6 Module Plastic Surround and Gridplate	UNSCP6M_WE	591	5	UNSCP6M_GY	843	5	UNSCP6M_CD	1128	5	UNSCP6M_CL	1167	5
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_WE	665	5	UNSCP8ML_GY	941	5	UNSCP8ML_CD	1272	5	UNSCP8ML_CL	1296	5
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_WE	860	10	UNSCP8MSQ_GY	1304	10	UNSCP8MSQ_CD	1610	10	UNSCP8MSQ_CL	1610	5
9 Module Plastic Surround and Gridplate	UNSCP9M_WE	1080	5	UNSCP9M_GY	1686	5	-	-	-	-	-	-
12 Module Plastic Surround and Gridplate	UNSCP12M_WE	1202	5	UNSCP12M_GY	2114	5	UNSCP12M_CD	2035	5	UNSCP12M_CL	2032	5
16 Module Plastic Surround and Gridplate	UNSCP16M_WE	1480	5	UNSCP16M_GY	2553	5	UNSCP16M_CD	2755	5	UNSCP16M_CL	2755	5
18 Module Plastic Surround and Gridplate	UNSCP18M_WE	1534	1	UNSCP18M_GY	2726	1	UNSCP18M_CD	2952	1	UNSCP18M_CL	2952	1

Please contact Customer Care Center for Stockable and Non stockable status of references.


*Bold references are MTO reference.

W.E.F. February 03rd, 2025


Wiring Diagram Unica Pure



> 10AX Intermediate Switch
UNS10SW1M_WE, UNS10SW1M_GY




> 20A Double Pole Switch With Indicator
UNS20DP2M_WE, UNS20DP2M_GY




> 32A Double Pole Switch With Indicator
UNS32DP2M_WE, UNS32DP2M_GY


Wiring Diagram Unica Pure




> Curtain Control Switch
UNSCURTAINSW2M_WE



> PIR Motion Sensor*
UNSPIR_WE




> PIR Motion Sensor*
UNSPIR_WE




> PIR Motion Sensor*
UNSPIR_WE

Wiring Diagram Unica Pure




> DND/MMR Indicator v.2 > Do Not Disturb Switch
> Make My Room Switch > DND Switch
> MMR Switch

UNSDM1M_WE, UNSDM1M_GY, UNSDNDSW1M_WE,
UNSDNDSW1M_GY, UNSMMRSW1M_WE, UNSMMRSW1M_GY



> Unica Pure Key Card

UNSEKCSW_WE, UNSEKCSW_GY,
UNSEKCSW_CL, UNSEKCSW_CD



> SW DNDMMR with interlock

UNSDNDMMRSW2M_WE & UNSDNDMMRSW2M_GY

ZENcelo India - The Revolutionary Full-Flat Switch



- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range
- **Dust Proof Cover**
- **All Dark Grey references covered with electrostatic protective film**
- **Intermediate switches to control multiple 2way switches**
- **16AX~20A 1 Way 2G Switch (1M) - IN8444/16: Single: switch to control two loads**



Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 Way switch	IN8401	424	10	IN8401(BZ)	531	10
6AX 1 Way switch (2M)	IN8421	761	10	IN8421(BZ)	901	10
6AX 2 Way switch	IN8402	531	10	IN8402(BZ)	638	10
6AX 1 Way switch with Neon	IN8481	681	10	IN8481(BZ)	815	10
16AX~20A 1 Way switch	IN8401/16	647	10	IN8401/16(BZ)	788	10
16AX~20A 1 Way switch (2M)	IN8421/16	1006	10	-	-	-
16AX~20A 1 Way switch with Neon	IN8481/16	929	10	IN8481/16(BZ)	1100	10
16AX~20A 1 Way switch with Neon (2M)	IN8482/16	1189	10	IN8482/16(BZ)	1413	10
16AX~20A 2 Way switch	IN8402/16	919	10	IN8402/16(BZ)	1191	10
16AX~20A 2 Way switch (2M)	IN8422/16	1100	10	IN8422/16(BZ)	1419	10
16AX~20A 1 Way 2G switch (1M)	IN8444/16	1058	10	IN8444/16(BZ)	1288	10
10AX Intermediate switch	IN8430/IM	1692	10	IN8430/IM(BZ)	1912	1
6A Momentary Switch	IN8487	836	10	IN8487_BZ	987	-
20A DP Switch with Neon (2M)	IN8486/20	1417	5	IN8486/20(BZ)	1855	5
32A DP Switch with Neon (2M)	IN8486/32	2205	5	IN8486/32(BZ)	2649	5
Motor Starter Switch						
25A Motor Starter switch (2M)	IN8425MS	3627	10	IN8425MS(BZ)	3877	10
Bell Push						
6A Bell Push switch	IN8405	602	10	IN8405(BZ)	730	10
6A Bell Push switch (2M)	IN8425	978	10	IN8425(BZ)	1164	10
6A Bell Push switch with Neon	IN8485	884	10	IN8485(BZ)	1042	10
6A Bell Push switch with Neon (2M)	IN8486	1034	10	IN8486(BZ)	1281	10
Sockets						
6A 3 PIN Socket Outlet with Shutter (BIS)	IN8426UNS	700	10	IN8426UNS_BZ	847	10
6A/16A 3 Pin Socket with Shutter	IN8426/16	1042	10	IN8426/16(BZ)	1276	10
Fan Regulators & Dimmers						
Fan Control (5 Speeds)	IN84SFR	2501	5	IN84SFR(BZ)	3001	5
Full Flat 500W Dimmer Module (1 Gang)	IN8404D	2272	10	IN8404D(BZ)	2691	10
USB Chargers						
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	4036	10	IN8431USB_BZ	4630	10
2.4A 5V A+C USB Charger (1M)	IN8431ACUSB_WE	4461	10	IN8431ACUSB_BZ	5113	10
Accessories						
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	676	10	IN8431RJS4(BZ)	833	10
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	2388	10	IN8431RJ6(BZ)	2917	10
TV Socket	IN8431TV	516	10	IN8431TV(BZ)	653	10
Foot Lamp with White LED (2M)	IN8490FLW	4816	10	-	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	4696	10	-	-	-
Blank off unit (1M)	IN8430X	158	10	IN8430X(BZ)	194	10
Door Chime 230VAC 2M	INCHIME8488	2325	-	INCHIME8488_BZ	2600	-
Hotel Series						
Do Not Disturb Panel	INH8451	3587	10	INH8451(BZ)	4055	10
Make My Room Panel	INH8454	3353	10	INH8454(BZ)	3742	10
Do Not Disturb Switch	INH8452	1781	10	INH8452(BZ)	1966	10
Do Not Disturb Switch (2M)	-	-	-	INH8453(BZ)	2204	10
Make My Room Switch	INH8455	1740	10	INH8455(BZ)	2072	10
SW DND MMR White with interlock 2M	INH8456_WE	3050	10	INH8456_BZ	3350	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

ZENcelo India - The Revolutionary Full-Flat Switch



E8431EKT-OS



E84T727V>SZ-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack
Hotel Series						
16A Electronic Key Card Time Delay Switch	E8431EKT-OS	14113		E8431EKT>SZ-OS	17643	1
Universal Shaver Unit, Vertical	-	-		E84T727V>SZ-OS	9946	1
Universal Shaver Unit, Horizontal	-	-		E84T727H>SZ-OS	9946	1



IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)




IN84012C(SA)

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Satin Silver	Unit MRP [₹]	Pack
Cover Plates												
1M Grid & 1M Cover Frame	IN8401C	402	10	IN8401C(BZ)	482	10	IN8401C(SZ)	1132	10	IN8401C(SA)	1242	10
2M Grid & 2M Cover Frame	IN8402C	421	10	IN8402C(BZ)	505	10	IN8402C(SZ)	1120	10	IN8402C(SA)	1229	10
3M Grid & 3M Cover Frame	IN8403C	496	10	IN8403C(BZ)	596	10	IN8403C(SZ)	1377	10	IN8403C(SA)	1510	10
4M Grid & 4M Cover Frame	IN8404C	541	10	IN8404C(BZ)	700	10	IN8404C(SZ)	1654	10	IN8404C(SA)	1816	10
6M Grid & 6M Cover Frame	IN8406C	825	5	IN8406C(BZ)	994	5	IN8406C(SZ)	2272	5	IN8406C(SA)	2516	5
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	990	5	IN8408HC(BZ)	1189	5	IN8408HC(SZ)	3098	5	IN8408HC(SA)	3400	5
8M Grid & 8M Cover Frame - Square	IN8408SC	1320	5	IN8408SC(BZ)	1833	5	IN8408SC(SZ)	3763	5	IN8408SC(SA)	4128	5
9M Grid & 9M Cover Frame	IN8409C	1817	5	IN8409C(BZ)	2282	5	IN8409C(SZ)	5201	5	-	-	-
12M Grid & 12M Cover Frame	IN84012C	2190	5	IN84012C(BZ)	2707	5	IN84012C(SZ)	6994	5	IN84012C(SA)	7676	5
18M Grid & 18M Cover Frame	IN84018C	3089	5	IN84018C(BZ)	4007	5	IN84018C(SZ)	9258	5	IN84018C(SA)	10161	5


Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.


Wiring Diagram ZENcelo




> 16A Electronic Key Card Time Delay
E8431EKT-OS, E8431EKT>SZ-OS




> 10AX Intermediate Switch
IN8430/IM, IN8430/IM (BZ)



> 16AX~20A 1 Way 2G Switch (1M)
IN8444/16, IN8444/16 (BZ)




> 20A DP Switch with Neon (2M)
IN8486/20, IN8486/20 (BZ)




> SW DNDMMR White with interlock 2M
INH8456_WE & INH8456_BZ

Wiring Diagram ZENcelo




> 32A DP Switch with Neon (2M)

IN8486/32, IN8486/32 (BZ)



> Do Not Disturb Panel > Make My Room Panel > Do Not Distrub Switch > Make My Room Switch

INH8451, INH8451 (BZ), INH8454, INH8454 (BZ),
INH8452, INH8452 (BZ), INH8455, INH8455 (BZ)



> Do Not Disturb Panel > Make My Room Panel > Do Not Disturb Switch (2M) > Make My Room Switch

INH8451, INH8451 (BZ), INH8454, INH8454 (BZ)
INH8453 (BZ), INH8455, INH8455 (BZ)

AvatarOn - It's also a Switch



White
(WE)



Wine Gold
(WG)



Dark Grey
(DG)



Dark Wood
(WD)



Gold Hairline
(GH)



Light Wood
(LW)



Award-winning Designs: In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

Multifunctional Accessories for Every Day Conveniences



E8331L1_WE_G8



E8331L1_WD_G8



E8331L1LED_WE_G8



E8331L1LED_WD_G8



E8331L2_WE_G8



E8331L2_WD_G8



E8332L1_WE_G8



E8332L1_WD_G8



E8332L2_WE_G8



E8332L2_WD_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 1 Gang 1 Way Switch	White	E8331L1_WE_G8	609	1
	Wine Gold	E8331L1_WG_G8	915	10
	Dark Grey	E8331L1_DG_G8	915	1
	Metal Gold Hairline	E8331L1_GH_G8	919	10
	Light Wood	E8331L1_LW_G8	990	10
	Dark Wood	E8331L1_WD_G8	919	10
16AX 250V 1 Gang 1 Way Switch with LED Indicator	White	E8331L1LED_WE_G8	915	1
	Wine Gold	E8331L1LED_WG_G8	1368	10
	Dark Grey	E8331L1LED_DG_G8	1368	1
	Metal Gold Hairline	E8331L1LED_GH_G8	1375	10
	Light Wood	E8331L1LED_LW_G8	1616	10
	Dark Wood	E8331L1LED_WD_G8	1375	10
16AX 250V 1 Gang 2 Way Switch	White	E8331L2_WE_G8	629	1
	Wine Gold	E8331L2_WG_G8	976	10
	Dark Grey	E8331L2_DG_G8	976	1
	Metal Gold Hairline	E8331L2_GH_G8	981	10
	Light Wood	E8331L2_LW_G8	1057	10
	Dark Wood	E8331L2_WD_G8	981	10
16AX 250V 1 Gang 2 Way Switch with LED Indicator	White	E8331L2LED_WE_G8	976	10
	Wine Gold	E8331L2LED_WG_G8	1466	10
	Dark Grey	E8331L2LED_DG_G8	1466	1
	Metal Gold Hairline	E8331L2LED_GH_G8	1473	10
	Light Wood	E8331L2LED_LW_G8	1731	10
	Dark Wood	E8331L2LED_WD_G8	1667	10
16AX 250V 2 Gang 1 Way Switch	White	E8332L1_WE_G8	949	1
	Wine Gold	E8332L1_WG_G8	1425	10
	Dark Grey	E8332L1_DG_G8	1425	1
	Metal Gold Hairline	E8332L1_GH_G8	1439	10
	Light Wood	E8332L1_LW_G8	1500	10
	Dark Wood	E8332L1_WD_G8	1439	10
16AX 250V 2 Gang 1 Way Switch with LED Indicator	White	E8332L1LED_WE_G8	1425	1
	Wine Gold	E8332L1LED_WG_G8	2139	10
	Dark Grey	E8332L1LED_DG_G8	2139	1
	Metal Gold Hairline	E8332L1LED_GH_G8	2160	10
	Light Wood	E8332L1LED_LW_G8	2549	10
	Dark Wood	E8332L1LED_WD_G8	2160	10
16AX 250V 2 Gang 2 Way Switch	White	E8332L2_WE_G8	1156	1
	Wine Gold	E8332L2_WG_G8	1734	10
	Dark Grey	E8332L2_DG_G8	1734	1
	Metal Gold Hairline	E8332L2_GH_G8	1750	10
	Light Wood	E8332L2_LW_G8	2066	10
	Dark Wood	E8332L2_WD_G8	1750	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

AvatarOn - It's also a Switch



E8332L2LED_WE_G8



E8332L2LED_WD_G8



E8333L1LED_WE_G8



E8333L1LED_WD_G8



E8333L2_WE_G8



E8333L2_WD_G8



E8333L2LED_WE_G8



E8333L2LED_WD_G8



E8334L1_WE_G8



E8334L1_WD_G8



E8334L1LED_WE_G8



E8334L1LED_WD_G8



E8334L2_WE_G8



E8334L2_WD_G8



E8334L2LED_WE_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 2 Gang 2 Way Switch with LED Indicator	White	E8332L2LED_WE_G8	1734	10
	Wine Gold	E8332L2LED_WG_G8	2602	10
	Dark Grey	E8332L2LED_DG_G8	2602	1
	Dark Wood	E8332L2LED_WD_G8	2627	10
16AX 250V 3 gang 1 Way Switch	White	E8333L1_WE_G8	1566	1
	Wine Gold	E8333L1_WG_G8	2350	10
	Dark Grey	E8333L1_DG_G8	2394	1
	Metal Gold Hairline	E8333L1_GH_G8	2383	10
	Light Wood	E8333L1_LW_G8	2462	10
	Dark Wood	E8333L1_WD_G8	2383	10
16AX 250V 3 gang 1 Way Switch with LED Indicator	White	E8333L1LED_WE_G8	2350	10
	Wine Gold	E8333L1LED_WG_G8	3523	10
	Dark Grey	E8333L1LED_DG_G8	3523	1
	Metal Gold Hairline	E8333L1LED_GH_G8	3573	10
16AX 250V 3 gang 2 Way Switch	Light Wood	E8333L1LED_LW_G8	4178	10
	Dark Wood	E8333L1LED_WD_G8	3573	10
	White	E8333L2_WE_G8	1685	1
	Wine Gold	E8333L2_WG_G8	2529	10
16AX 250V 3 gang 2 Way Switch	Dark Grey	E8333L2_DG_G8	2529	1
	Metal Gold Hairline	E8333L2_GH_G8	2566	10
	Dark Wood	E8333L2_WD_G8	2566	10
	White	E8333L2LED_WE_G8	2529	10
1 6AX 250V 3 gang 2 Way Switch with LED Indicator	Wine Gold	E8333L2LED_WG_G8	3793	10
	Dark Grey	E8333L2LED_DG_G8	3793	1
	Metal Gold Hairline	E8333L2LED_GH_G8	3847	10
	Light Wood	E8333L2LED_LW_G8	4294	10
16AX 250V 4 Gang 1 Way Switch	Dark Wood	E8333L2LED_WD_G8	3847	10
	White	E8334L1_WE_G8	2252	1
	Wine Gold	E8334L1_WG_G8	3380	10
	Dark Grey	E8334L1_DG_G8	3380	1
16AX 250V 4 Gang 1 Way Switch	Metal Gold Hairline	E8334L1_GH_G8	3428	10
	Light Wood	E8334L1_LW_G8	3541	10
	Dark Wood	E8334L1_WD_G8	3428	10
	White	E8334L1LED_WE_G8	3380	10
16AX 250V 4 Gang 1 Way Switch with LED Indicator	Wine Gold	E8334L1LED_WG_G8	5068	10
	Dark Grey	E8334L1LED_DG_G8	5068	1
	Metal Gold Hairline	E8334L1LED_GH_G8	5141	10
	Light Wood	E8334L1LED_LW_G8	6012	10
16AX 250V 4 Gang 2 Way Switch	Dark Wood	E8334L1LED_WD_G8	5141	10
	White	E8334L2_WE_G8	2591	1
	Wine Gold	E8334L2_WG_G8	3885	10
	Dark Grey	E8334L2_DG_G8	3959	1
16AX 250V 4 Gang 2 Way Switch	Metal Gold Hairline	E8334L2_GH_G8	3941	10
	Dark Wood	E8334L2_WD_G8	3941	10
	White	E8334L2LED_WE_G8	3885	10
	Wine Gold	E8334L2LED_WG_G8	5829	10
16AX 250V 4 Gang 2 Way Switch with LED Indicator	Dark Grey	E8334L2LED_DG_G8	5829	1
	Metal Gold Hairline	E8334L2LED_GH_G8	5912	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

AvatarOn - It's also a Switch



E8331M_WE_G8



E8331PRL1_WD_G8



E8332PRL1_WE_G8



E8332PRL1_WD_G8



E8331D20N_WE_G8



E8331D20N_WD_G8



E8331D32N_WE_G8



E8332D20N_WD_G8



E8331D32N_WD_G8



E8331D45N_WD_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Intermediate Switches				
16AX 250V 1 Gang Intermediate Switch	White	E8331M_WE_G8	2095	1
	Wine Gold	E8331M_WG_G8	3142	1
	Dark Grey	E8331M_DG_G8	3142	1
10A Momentary Switches				
10A 250V 1 Gang Momentary Switch	Dark Wood	E8331PRL1_WD_G8	1120	10
	White	E8332PRL1_WE_G8	940	10
10A 250V 2 Gang Momentary Switch	Wine Gold	E8332PRL1_WG_G8	1407	10
	Dark Grey	E8332PRL1_DG_G8	1407	1
	Metal Gold Hairline	E8332PRL1_GH_G8	1407	10
	Dark Wood	E8332PRL1_WD_G8	1407	10
Double Pole Switches				
20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	1612	10
	Wine Gold	E8331D20N_WG_G8	2414	10
	Dark Grey	E8331D20N_DG_G8	2414	1
	Metal Gold Hairline	E8331D20N_GH_G8	2437	10
	Light Wood	E8331D20N_LW_G8	2371	10
	Dark Wood	E8331D20N_WD_G8	2437	10
20A 250V 2 Gang Double Pole Switch with LED Indicator	Dark Wood	E8332D20N_WD_G8	2926	10
	White	E8331D32N_WE_G8	2138	10
	Wine Gold	E8331D32N_WG_G8	3206	10
	Dark Grey	E8331D32N_DG_G8	3206	1
	Metal Gold Hairline	E8331D32N_GH_G8	3236	10
	Light Wood	E8331D32N_LW_G8	3236	10
32A 250V 1 Gang Double Pole Switch with LED Indicator	Dark Wood	E8331D32N_WD_G8	3236	10
	Wine Gold	E8331D45N_WG_G8	4008	10
	Dark Grey	E8331D45N_DG_G8	4081	1
	Metal Gold Hairline	E8331D45N_GH_G8	4120	10
	Dark Wood	E8331D45N_WD_G8	3862	10
45A 250V 1 Gang Double Pole Switch with LED Indicator				

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

AvatarOn - It's also a Switch



E8331BPL1_WE_G8



E8331BPL1_WD_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
Bell Push Switch				
10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	682	1
	Wine Gold	E8331BPL1_WG_G8	1026	10
	Dark Grey	E8331BPL1_DG_G8	1021	1
	Metal Gold Hairline	E8331BPL1_GH_G8	1036	10
	Light Wood	E8331BPL1_LW_G8	1045	10
	Dark Wood	E8331BPL1_WD_G8	1036	10
Sockets				
6A 2/3 Pin Switched Socket	White	E8315_6_NS_WE	1358	8
	Wine Gold	E8315_6_NS_WG	1759	8
	Dark Grey	E8315_6_NS_DG	1726	1
	Metal Gold Hairline	E8315_6_NS_GH	1743	8
	Light Wood	E8315_6_NS_LW	1809	8
	Dark Wood	E8315_6_NS_WD	1743	8
6/16A Switched Socket	White	E8315_16_WE	1704	8
	Wine Gold	E8315_16_WG	2167	8
	Dark Grey	E8315_16_DG	2167	1
	Metal Gold Hairline	E8315_16_GH	2229	8
	Light Wood	E8315_16_LW	2271	8
	Dark Wood	E8315_16_WD	2188	8
Fan Regulators				
5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	3235	1
	Wine Gold	E8331FR350_WG_G8	4264	1
	Dark Grey	E8331FR350_DG_G8	4264	1
	Metal Gold Hairline	E8331FR350_GH_G8	4264	1
	Light Wood	E8331FR350_LW_G8	4551	1
	Dark Wood	E8331FR350_WD_G8	4264	1
Switch & Socket Covers (Additional)				
1 Gang Switch Cover	White	E8331_WE	185	1
	Wine Gold	E8331_WG	513	1
	Metal Gold Hairline	E8331_GH	513	1
	Dark Wood	E8331_WD	513	1
1 Gang Switch Cover with Keyholder	White	E8331KH_WE	418	1
2 Gang Switch Cover	White	E8332_WE	279	1
	Wine Gold	E8332_WG	700	1
	Metal Gold Hairline	E8332_GH	700	1
	Light Wood	E8332_LW	686	1
	Dark Wood	E8332_WD	700	1
3 Gang Switch Cover	White	E8333_WE	432	1
	Wine Gold	E8333_WG	1028	1
	Metal Gold Hairline	E8333_GH	1028	1
	Light Wood	E8333_LW	1009	1



E8315_6_NS_WE



E8315_6_NS_WD



E8331FR350_WE_G8



E8331FR350_WD_G8



E8331_WE



E8331_WD



E8331KH_WE



E8332_WD



E8332_WE



E8333_WE



E8332_WE



E8333_WE

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

AvatarOn - It's also a Switch



E8334_WE



E8334_WD



E8315C_6_NC_WE



E8315C_6_NC_WD



E8332USB_WE_G8



E8315C_16_WD




E8332ACQUSB_WE




E8332USB_WD_G8



E8331_26_WE



E8331_36_WE



E8331_46_WE



E8330TX_WE

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
4G Switch Cover	White	E8334_WE	676	1
	Wine Gold	E8334_WG	1262	1
	Dark Grey	E8334_DG	1205	1
	Metal Gold Hairline	E8334_GH	1402	1
	Light Wood	E8334_LW	1377	1
	Dark Wood	E8334_WD	1262	1
6A 2/3 Pin Switched Socket Cover	White	E8315C_6_NC_WE	482	12
	Wine Gold	E8315C_6_NC_WG	817	12
	Dark Grey	E8315C_6_NC_DG	817	1
	Metal Gold Hairline	E8315C_6_NC_GH	817	12
	Light Wood	E8315C_6_NC_LW	944	12
	Dark Wood	E8315C_6_NC_WD	817	12
16A 2/3 Pin Switched Socket Cover	Wine Gold	E8315C_16_WG	854	12
	Dark Grey	E8315C_16_DG	854	1
	Metal Gold Hairline	E8315C_16_GH	948	12
	Light Wood	E8315C_16_LW	941	12
USB Chargers	Dark Wood	E8315C_16_WD	948	12
	White	E8332USB_WE_G8	8112	1
	Wine Gold	E8332USB_WG_G8	12168	1
	Dark Grey	E8332USB_DG_G8	12168	1
	Metal Gold Hairline	E8332USB_GH_G8	12168	1
	Light Wood	E8332USB_LW_G8	14422	1
2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)	Dark Wood	E8332USB_WD_G8	12168	1
	Metal Gold Hairline	E8332ACQUSB_GH	7383	-
	Light Wood	E8332ACQUSB_LW	7913	-
	Dark Wood	E8332ACQUSB_WD	7383	-
	White	E8332ACQUSB_WE	5968	-
	Wine Gold	E8332ACQUSB_WG	7383	-
Blacket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)				
2 Gang Blacket/Frame	White	E8331_26_WE	306	1
	Wine Gold	E8331_26_WG	401	1
	Dark Grey	E8331_26_DG	382	1
3 Gang Blacket/Frame	White	E8331_36_WE	337	1
	Wine Gold	E8331_36_WG	472	1
	Dark Grey	E8331_36_DG	450	1
4 Gang Blacket/ Frame	White	E8331_46_WE	360	1
	Wine Gold	E8331_46_WG	506	1
	Dark Grey	E8331_46_DG	483	1
Blank Plates				
1 Gang Blank Plate	White	E8330X_WE	411	1
	Wine Gold	E8330X_WG	618	1
	Dark Grey	E8330X_DG	618	1
	Metal Gold Hairline	E8330X_GH	647	1
	Dark Wood	E8330X_WD	647	1
2 Gang Blank Plate	White	E8330TX_WE	574	10
	Wine Gold	E8330TX_WG	892	10
	Dark Grey	E8330TX_DG	892	1
	Metal Gold Hairline	E8330TX_GH	892	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

AvatarOn - It's also a Switch



E8331BPDMW_WE_G8



E8331KPB_WE



E8332C_WE_G8



E8332C_WD_G8



E83T727V_WE



E83T727V_WD



E8331RJS4_WE



E8331RJS4_WD

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
Hotel Series				
DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)	White	E8331BPDMW_WE_G8	5907	1
	Wine Gold	E8331BPDMW_WG_G8	8860	10
	Dark Grey	E8331BPDMW_DG_G8	8860	1
	White	E8333DMWS_WE_G8	5622	1
16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)	Wine Gold	E8333DMWS_WG_G8	8203	10
	Dark Grey	E8333DMWS_DG_G8	8593	1
	Dark Wood	E8333DMWS_WD_G8	8753	10
	White	E8331EKT_WE	10516	1
250V 16A Electronic Keycard Switch	Wine Gold	E8331EKT_WG	15775	1
	Dark Grey	E8331EKT_DG	15774	1
	Dark Wood	E8331EKT_WD	16525	1
Panic Button with Key Reset	White	E8331KPB_WE	1869	1
	Wine Gold	E8331KPB_WG	2746	1
	Dark Grey	E8331KPB_DG	2360	1
10A 2 Gang Mechanical Curtain Switch	White	E8332C_WE_G8	1224	1
	Wine Gold	E8332C_WG_G8	1836	10
	Dark Grey	E8332C_DG_G8	1836	1
	Metal Gold Hairline	E8332C_GH_G8	1836	10
	Light Wood	E8332C_LW_G8	2041	10
	Dark Wood	E8332C_WD_G8	1836	10
115/240V 20VA Universal Version Shaver	White	E83T727V_WE	5836	1
	Wine Gold	E83T727V_WG	9453	1
	Dark Grey	E83T727V_DG	9905	1
	Metal Gold Hairline	E83T727V_GH	9905	1
	Dark Wood	E83T727V_WD	10376	1
Connection Units				
13A 250V 1 Gang Fused Connection with DP Switch and Neon	Wine Gold	E8331DFSGN_WG	5037	10
25A 250V 1 Gang Connection Unit	Metal Gold Hairline	E8331TB_GH	2301	10
Telecom, Network, Connectivity & Media Series				
1 Gang Telephone Socket, Shuttered Wallplate	White	E8331RJS4_WE	909	1
	Wine Gold	E8331RJS4_WG	1516	1
	Dark Grey	E8331RJS4_DG	1516	1
	Metal Gold Hairline	E8331RJS4_GH	1516	1
	Light Wood	E8331RJS4_GH	1516	1
	Dark Wood	E8331RJS4_WD	1516	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

AvatarOn - It's also a Switch



E8332RJS4_WE



E8331RJS5_WE



E8332RJS5_WE



E8331RJS6_WE



E8332RJS6_WE



E8331TV_WE



E8331TVSF_WE



E8332TDRJS5_WE



E8332TVRJS5_WE



E8332HDUSB_WE



E8332HDHD_WE



E8331RJS_WE



E8332RJS_WE

Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
2G Tel Socket, Shuttered Wallplate	White	E8332RJS4_WE	2231	1
	Wine Gold	E8332RJS4_WG	3350	1
1 Gang RJ45 Data Cat5E, Shuttered	White	E8331RJS5_WE	1421	1
	Wine Gold	E8331RJS5_WG	2479	1
	Dark Grey	E8331RJS5_DG	2366	1
	Metal Gold Hairline	E8331RJS5_GH	2366	1
	Dark Wood	E8331RJS5_WD	2479	1
2 Gang RJ45 Data Cat5E, Shuttered	White	E8332RJS5_WE	2598	1
	Wine Gold	E8332RJS5_WG	4333	1
	Dark Grey	E8332RJS5_DG	4136	1
1 Gang RJ45 Data Cat6, Shuttered	Metal Gold Hairline	E8332RJS5_GH	4136	10
	White	E8331RJS6_WE	1698	1
	Wine Gold	E8331RJS6_WG	2546	1
2 Gang RJ45 Data Cat6, Shuttered	Dark Grey	E8331RJS6_DG	2546	1
	White	E8332RJS6_WE	3182	1
	Wine Gold	E8332RJS6_WG	4774	1
1 Gang TV Socket, 75Ω, Through-Connect	Dark Grey	E8332RJS6_DG	4774	1
	White	E8331TV_WE	717	1
	Wine Gold	E8331TV_WG	1194	1
	Dark Grey	E8331TV_DG	1194	1
	Metal Gold Hairline	E8331TV_GH	1194	10
1 Gang TV Socket, Slave 5-1000	Dark Wood	E8331TV_WD	1194	1
	White	E8331TVSF_WE	792	10
	Wine Gold	E8331TVSF_WG	1327	0
1 Gang Tel + RJ45 Data Cat5E, Shuttered	Dark Grey	E8331TVSF_DG	1265	1
	White	E8332TDRJS5_WE	2231	1
	Wine Gold	E8332TDRJS5_WG	3720	1
	Dark Grey	E8332TDRJS5_DG	3551	1
	Metal Gold Hairline	E8332TDRJS5_GH	3551	1
1 Gang TV+ RJ45 Data Cat5E, Shuttered	Dark Wood	E8332TDRJS5_WD	3720	1
	White	E8332TVRJS5_WE	2767	1
	Wine Gold	E8332TVRJS5_WG	4617	1
	Dark Grey	E8332TVRJS5_DG	4406	1
	Metal Gold Hairline	E8332TVRJS5_GH	4406	1
1 Gang TV+ RJ45 Data Cat6, Shuttered	Dark Wood	E8332TVRJS5_WD	5130	1
	White	E8332TVRJS6_WE	2767	1
	Wine Gold	E8332TVRJS6_WG	4617	1
HDMI + USB Socket	Dark Grey	E8332TVRJS6_DG	4406	1
	White	E8332HDUSB_WE	5897	1
	Wine Gold	E8332HDUSB_WG	9827	8
2 Gang HDMI+HDMI, Keystone on Wallplate	Dark Grey	E8332HDUSB_DG	9379	1
	White	E8332HDHD_WE	3234	1
Volume Control, 5W, 8Ohm	Wine Gold	E8331VC_WG	3897	10
	Dark Grey	E8331VC_DG	3897	1
1 Gang S Keystone Wallplate (w/o Mod)	White	E8331RJS_WE	697	10
	Wine Gold	E8331RJS_WG	1046	10
	Dark Grey	E8331RJS_DG	1046	1
2 Gang S Keystone Wallplate (w/o Mod)	White	E8332RJS_WE	1310	10
	Wine Gold	E8332RJS_WG	1965	10
	Dark Grey	E8332RJS_DG	1965	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

Kavacha - Weather Protected Series



CSW110-GY-EX



A3031WBP_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP ₹	Pack
Kavacha IP56 Surface Mount Switches			
Switches with Looping Terminal			
10A 1 Gang 2 Way Switch	CSW110-GY-EX	4092	1
10A 1 Gang 2 Way Bell Press Return Switch	CSW110BPR-GY-EX	4492	1
Kavacha Heavy Duty Isolator Switches			
35A Triple Pole	WHT35-GY-EX	8726	1
63A Triple Pole	WHT63-GY-EX	11238	1
Kavacha IP56 Surface Mount Combined Switched Socket Outlets			
Combination Switch Socket Outlets			
16A Single Pole Switched Socket Outlet	CSC316RP_GY	4534	1
Kavacha IP56 Surface Mount Socket Outlets			
16A Socket Outlet	CSO316RP-GY-EX	3203	1
Kavacha Full-Time Weatherproof Cover			
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	1160	1
Weatherproof Bell Press Grey	A3031WBP_GY	1771	1
Weatherproof Bell Press White	A3031WBP_WE	1548	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for Indian Format Ranges (Livia, Opale Clipsal X, Unica Pure & ZENcelo India)			
0.8 mm thickness			
Metal Box 1 & 2 modules	ME0102	111	20
Metal Box 3 modules	ME0103	145	20
Metal Box 4 modules	ME0104	167	20
1 mm thickness			
Metal Box 1 & 2 modules	MR1102	124	20
Metal Box 3 modules	MR1103	164	20
Metal Box 4 modules	MR1104	189	20
Metal Box 6 modules	MR1106	257	10
Metal Box 8 modules - Horizontal	MR1108	333	10
Metal Box 8 modules - Square	MR1109	333	10
Metal Box 12 module	MR1112	428	5
Metal Box 18 modules	MR1118	508	5

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for BS Format Ranges (AvatarON) - New & Improved Design			
Use Bracket/Frame to ensure alignment of switches on 2/3/4 Gang Metal Box (refer to AvatarOn section for references)			
1 mm thickness			
2 GANG GI Metal Boxes	MM1102	312	20
3 GANG GI Metal Boxes	MM1103	442	20
4 GANG GI Metal Boxes	MM1104	572	20

- Special Metal Box with Gang Partition to accommodate BS format ranges
- Single Metal Box can accommodate up to 4 units
- Number of Gangs for Metal Box = Number of units that it can accommodate (Eg. 3 GANG Metal Box can accommodate up to 3 BS format Units)

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. February 03rd, 2025

Make your home **Smart** and **Sustainable** with **Wiser**



Wiser™
Next-gen smart home and energy management solutions.

Enhance comfort and optimize energy usage, easily!
Live Smart, Be Energy Wise.

SE Ref.	Description of reference	Unit MRP [₹]
CS16A1MSW_WE*	16A 1M Connected Switch, White	7000
CD4SFR2M_WE*	4 Step Connected Fan Regulator, White	7500
CS16A1MSW_GY*	16A 1M Connected Switch, Grey	9000
CD4SFR2M_GY*	4 Step Connected Fan Regulator, Grey	9500
ENMOD1P*	Energy Monitoring Device, Single Phase	On Request
CCIRC1M*	IR Controller - WiFi	On Request
CR2CHRLYPG*	2 Channel Relay Puck - WiFi	On Request
IH11000200*	2 Channel Curtain Controller	On Request
IH12000020*	2 Channel Dimmer Controller	On Request
B1GTEWY*	Multi Protocol Gateway	On Request
IH100WFVDP*	Smart Doorbell	On Request
IH101ZW2IR*	ZW_IR Controller	On Request
IH101ZWIFI*	Automation Gateway	On Request
IH1200010F*	Fan Speed Controller	On Request
IH14000100*	4 Channel Automation Relay	On Request

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Surface and Flush Mount Occupancy Sensors



PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	3980
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	4800
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	CCT551011	15789
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 2ch	CCT551012	16963
ARGUS IR Remote Controller Dual-Tech	CCT556011	21068
ARGUS Presence High Frequency High Bay Sensor - 2ch	CCT551023	18564
ARGUS IR Remote Controller HF	CCT556023	19313
ARGUS Presence Wide Sense - 2ch	CCT551003	15718
INFRASCAN OUTDOOR 3WIRE 10A	750WPR-GY	22594
INFRASCAN INDOOR 3WIRE 10A	751R-WE	13109
INFRASCAN 360 DEGREE 3WIRE	753R-WE	12020



PIR Flush Mount Sensors

Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	CCT570005	5617
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	CCT570003	8247
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	9577



Dimmable Sensors with Light Regulation

0-10V Analogue & Dali Dimmable Sensor

Description	Reference	Unit MRP [₹]
ARGUS Presence Master with IR, DALI	MTN5510-1519	16963

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. February 03rd, 2025

Wall Mount Sensors



BS Standard & Outdoor IP55 Sensor

Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	E3751MS3C_GS	7545
Zencelo 110 degrees wall mount sensor, white colour	E84751MS3B_WE	6361
Zencelo 90 degrees wall mount sensor, white colour	E84751MS3A_WE	6058
Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	MTN565119	8270
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	MTN565219	12760

Hotel - ELV Dual Motion Sensor

Description	Reference	Unit MRP [₹]
ELV DUAL TECH MOTION SENSOR	SAE_UE_MS_CULV_WE	10491

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

[illegible]

Note

[illegible]

Life Is 

Schneider
Electric

Schneider Electric India Pvt. Ltd.

Corporate Office: 9th Floor, DLF Building No. 10, Tower C, DLF Cyber City, Phase II, Gurugram - 122002, Haryana
Tel: 0124 3940400, www.se.com/in

Ahmedabad
Schneider Electric India (P) Ltd.
1506-1507, 15th Floor Shapth-5
Opp.Karnavati Club, SG Highway,
Ahmedabad, Gujarat - 380015
Tel.: 079-66826701

Coimbatore
Schneider Electric India Pvt. Ltd.
Mikro Grafeio Services Pvt Ltd.,
Elysium Tower, #21, A.T.T
Colony, Near Honda Office,
Coimbatore, Tamil Nadu - 641018

Lucknow
Schneider Electric India (P) Ltd.
Summit, Plot No. TCG 3/3
6th Floor, 604A/B/C, Vibhuti Khand
Gomti Nagar, Lucknow
Uttar Pradesh - 226010
Tel.: 0522-3500334

Nashik
Schneider Electric India (P) Ltd.
401, 4th Floor, Rishi Raj Towers
Jehan Circle, Gangapur Road
Nashik - 422013
Tel.: 0253-2344333

Bengaluru
Schneider Electric India (P) Ltd.
No. 3/1, JP Techno Park
Mezzanine Floor, Millers Tank Bund
Road, Vasanth Nagar
Bengaluru - 560052
Tel.: 080-71481351

Hyderabad
Schneider Electric Pvt. Ltd.
4B-4th Floor, Gumidelli Towers,
Prakash Nagar, Begumpet,
Hyderabad - 500016

Ludhiana
Schneider Electric India (P) Ltd.
SCO 23, 2nd Floor,
Chandigarh Road, Sector 32
Ludhiana, Punjab -141010
Tel.: 0161- 5203011

New Delhi
Schneider Electric India (P) Ltd.
C-56, Mayapuri Industrial Area, Phase-2
New Delhi - 110064
Tel.: 011-61317400

Bhubaneswar
Schneider Electric India (P) Ltd.
Workloop Co-Working in the property
Office No. 316, Esplanade One Mall
Rasulgarh, Bhubaneswar - 751010

Indore
Schneider Electric India (P) Ltd.
219, Dhan Trident Building
Vijay Nagar, A.B.Road
Indore - 452001

Mohali
Schneider Electric India (P) Ltd.
2nd Floor, Tower-A
Bestech Business Tower
Mega Information & Technology Park
Industrial Plot No.1, Phase IX
(Expansion), Mohali - 160059
Tel.: 0172-7198200

Pune
Schneider Electric India (P) Ltd.
Amar Caliber, CTS No 911, BMCC Road,
OFF F.C. Road, Deccan Gymkhana,
Shivaji Nagar, Pune - 411007
Tel.: 020-67492500

Chennai
Schneider Electric India (P) Ltd.
No: 29, 2nd Floor,
Bannari Amman Towers, B-Block
Dr. Radhakrishnan Road, Mylapore
Chennai - 600 004
Tel.:044-71912000

Jaipur
Schneider Electric India (P) Ltd.
Jaipur Business Centre 309
3rd Floor, Sangam Tower 190
Church Road, Jaipur - 302001
Tel.: 0141-2374810

Mumbai
Schneider Electric Pvt. Ltd.
L&T Business Park, Tower B,
7th Floor, TC-II, Gate No.5,
Saki Vihar Road, Powai,
Mumbai - 400072

Vadodara
Schneider Electric India (P) Ltd.
Notus IT Park, 10th Floor, Block-D
Sarabhai Campus, Vadiwadi
Vadodara, Gujarat - 390017

Cochin
Schneider Electric India (P) Ltd.
Alapatt Properties Private Limited
(Trade Name: Centre A)
Main Door Number: 66/4971
(Old Door Number: 40/6584-H)
7th Floor Alapatt Heritage Building
MG Road Kochi - 682035

Kolkata
Schneider Electric (I) Pvt. Ltd.
BN3, Salt Lake, Sector V,
Kolkata - 700091

Nagpur
Schneider Electric India (P) Ltd.
6, Vasant Vihar Complex
W.H.C Road, Shankar Nagar
Nagpur - 440010
Tel.: 0712-2558581

Vishakhapatnam
Schneider Electric India (P) Ltd.
D.N.10-1-43, 1st Floor
Ratnam's Business Centre,
Siripuram Fort, C.B.M.Compound
Visakhapatnam - 530016
Tel.: 0891-6675500

Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.

Toll-free numbers: 1800 419 4272, 1800 103 0011

Email: customercare.in@schneider-electric.com

For more information, visit our website at: www.se.com/in

- All Prices are in Indian Rupees.
- Prices are subject to change without prior notice.
- Product evolution is a continuous process and Schneider Electric reserves the right to modify/withdraw any product at any time without prior notice.
- Prices charged will be as prevailing on the date of dispatch.
- Invoice Amount = (MRP – less Applicable discount) + Applicable GST %
- Tax incidence on invoices is basis applicable GST rates.
- Invoice amount not to exceed MRP.
- Product pictures shown are for illustration purpose only, actual product may vary.

Distributor