
YOUR CONNECTION TO A SAFER FUTURE

HOUSE WIRES & CABLES PRICELIST



ABOUT POLYCAB INDIA LTD.

Polycab India Limited (PIL) is India's largest manufacturer of Wires and Cables and one of the fastest growing FMEG companies with a consolidated turnover of INR 180+ Bn in FY24. PIL is at the forefront of providing innovative, safe and energy efficient products to a diverse set of customers via a strong distribution network of 3,800+ authorized dealers and 205,000+ retail outlets. PIL's business operations span across India through 28 manufacturing facilities, 13 offices and 29 warehouses. PIL has also served customers in 79 countries globally. PIL's 4,800+ employees are dedicated to upholding robust governance practices, preserving a customer centric culture, having a purpose to serve the communities, and imbibing a genuine sense of ecological consciousness. For further information, please visit www.polycab.com





INDIA'S WIDEST RANGE OF WIRES & CABLES

We manufacture and sell a diverse range of wires and cables and our key products in this segment are power cables, control cables, instrumentation cables, solar cables, building wires, flexible cables, flexible single/multi core cables, communication cables and others including welding cables, submersible flat and round cables, rubber cables, overhead conductors, railway signalling cables and specialty cables. We strive to deliver customized and innovative products with speed and quality service. Our production process is designed to ensure quality while delivering the ability to produce complex electrical products on short timeframes to meet our customers' needs.

INNOVATION & SUSTAINABILITY

Polycab's house wires epitomize innovation and sustainability. We've invested heavily in research and development to create products that cater to our customers' dynamic needs while maintaining a strong commitment to safety and the environment. Polycab house wires are made from lead free

non-carcinogenic raw materials. They meet stringent European norms of RoHS and REACH compliance Our R&D team is dedicated to pioneering ground-breaking solutions, with a focus on customer safety. We're proud to have engineered insulating compounds that ensure safety during fire emergencies and also possess a high oxygen index and low smoke properties to set up a new standard for safety and environmental responsibility.





QUALITY FOCUS

Our manufacturing facilities are accredited with quality management system certificates for compliance with ISO 9001, ISO 14001 and OHSAS 18001 requirements.

Our products are also certified to be compliant with various national and international quality standards including Bureau of Indian Standards 'BIS', British Approvals Service for Cables 'BASEC', US Underwriters Laboratory, FQC and international electrotechnical commission 'IEC'.











POLYCABMAXIMA+

EXTRA SAFE, LOW SMOKE WIRES

Green Wire HR FR-LSH LF

POLYCABMAXIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING		
	LP (₹)	COILS PER CARTON	AVAILABLE COLOURS
0.75	1650	28	Rd, Yw, Be, Bk, Gn, We
1	2225	24	Rd, Yw, Be, Bk, Gn, We
1.5	3255	16	Rd, Yw, Be, Bk, Gn, We
2.5	5100	12	Rd, Yw, Be, Bk, Gn, We
4	7450	8	Rd, Yw, Be, Bk, Gn
6	11185	6	Rd, Yw, Be, Bk, Gn

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

FEATURES
























POLYCABSUPREMA

ELECTRON BEAM WIRES

FOR LONG-LASTING SAFETY

HR FR LF

POLYCABSUPREMA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING			
	LP (₹)	COILS PER CARTON	AVAILABLE COLOURS	
0.75	1595	28	Rd, Yw, Be, Bk, Gn, We	
1	2140	24	Rd, Yw, Be, Bk, Gn, We	
1.5	3130	16	Rd, Yw, Be, Bk, Gn, We	
2.5	4950	12	Rd, Yw, Be, Bk, Gn, We	
4	7240	8	Rd, Yw, Be, Bk, Gn	
6	10820	6	Rd, Yw, Be, Bk, Gn	

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED E-BEAM TECHNOLOGY INDUSTRIAL (MULTISTRAND) CABLES -HEAT RESISTANT FLAME RETARDANT (HR FR) CONFORMING TO IS 694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

FEATURES



50% HIGHER HEAT RESISTANCE



85%+ HIGHER **CURRENT CAPACITY**



60+ YEAR LIFESPAN



N-MELT/ NO-DRIP INSULATION



OUTSTANDING MOISTURE RESISTANCE



ROHS & REACH



LEAD-FREE



HIGH ABRASION



POLYCABOPTIMA+

HIGH QUALITY MATERIALS, POWER SAVING DESIGN

LF FR

POLYCABOPTIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING			
	LP (₹)	COILS PER CARTON	AVAILABLE COLOURS	
0.75	1560	28	Rd, Yw, Be, Bk, Gn, We, Gy	
1	2100	24	Rd, Yw, Be, Bk, Gn, We, Gy	
1.5	3070	16	Rd, Yw, Be, Bk, Gn, We, Gy	
2.5	4855	12	Rd, Yw, Be, Bk, Gn, We, Gy	
4	7100	8	Rd, Yw, Be, Bk, Gn	
6	10610	6	Rd, Yw, Be, Bk, Gn	
10	18130	1	Rd, Yw, Be, Bk, Gn	
16	28615	1	Rd, Yw, Be, Bk, Gn	

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

FFATURES















POLYCABPRIMMA

FLAME RETARDANT **LEAD FREE WIRES**

LF FR

POLYCABPRIMMA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING		
	LP (₹)	COILS PER CARTON	AVAILABLE COLOURS
0.75	1550	28	Rd, Yw, Be, Bk, Gn, We, Gy
1	1980	24	Rd, Yw, Be, Bk, Gn, We, Gy
1.5	2880	16	Rd, Yw, Be, Bk, Gn, We, Gy
2.5	4585	12	Rd, Yw, Be, Bk, Gn, We, Gy
4	7030	8	Rd, Yw, Be, Bk, Gn
6	10580	6	Rd, Yw, Be, Bk, Gn

POLYCABPRIMMA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS



99.97% HIGH PURITY COPPER





PVC INSULATION











EASY TO PULL INSIDE CONDUITS



ETIRA

TRUSTED QUALITY, ASSURED PERFORMANCE

FR

ETIRA PRICELIST

SIZE (SO MM)	90 METER BOX PACKAGING		
SIZE (SQ.MM.)	LP (₹)	COILS PER CARTON	AVAILABLE COLOURS
0.75	1440	28	Rd, Yw, Be, Bk, Gn, We, Gy
1	1880	24	Rd, Yw, Be, Bk, Gn, We, Gy
1.5	2765	16	Rd, Yw, Be, Bk, Gn, We, Gy
2.5	4410	12	Rd, Yw, Be, Bk, Gn, We, Gy
4	6595	8	Rd, Yw, Be, Bk, Gn
6	10130	6	Rd, Yw, Be, Bk, Gn
10	18130	1	Rd, Yw, Be, Bk, Gn
16	28615	1	Rd, Yw, Be, Bk, Gn


ETIRA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - FLAME RETARDANT (FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

FEATURES









180M POUCH PACKAGING

FEATURES













REACH COMPLIANT

RoHS COMPLIANT

99.97% HIGH PURITY COPPER

POLYCAB GREEN WIRE PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING		
	LP (₹)	COILS PER CARTON	AVAILABLE COLOURS
1	4450	12	Rd, Yw, Be, Bk, Gn, We
1.5	6510	10	Rd, Yw, Be, Bk, Gn, We
2.5	10200	6	Rd, Yw, Be, Bk, Gn, We
4	14900	4	Rd, Yw, Be, Bk, Gn
6	22370	3	Rd, Yw, Be, Bk, Gn

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS



FEATURES









REACH COMPLIANT

RoHS COMPLIANT

99.97% HIGH PURITY COPPER

POLYCAB LF FR PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING		
SIZE (SQ.MINI.)	LP (₹)	COILS PER CARTON	AVAILABLE COLOURS
1	4200	12	Rd, Yw, Be, Bk, Gn, We
1.5	6140	10	Rd, Yw, Be, Bk, Gn, We
2.5	9710	6	Rd, Yw, Be, Bk, Gn, We
4	14200	4	Rd, Yw, Be, Bk, Gn
6	21220	3	Rd, Yw, Be, Bk, Gn

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS







INSTANT **SCAN** INSTANT **MONEY**

Join the EXPERTS APP by scanning the QR code. Only for retailers and electricians.

STEPS TO EARN









To Register yourself in the Polycab Experts Loyalty Program Reach out to your Polycab Sales Team Family call on 1800 419 1091

TERMS AND CONDITIONS APPLY

- The above rates are exclusive of GST which shall be charged extra.
- This pricelist is subject to change without notice.
- As per international practice which is also adopted by the Bureau of Indian Standards, the diameter of the conductor shown herein is nominal; the size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and

POLYCAB

CORPORATE OFFICE

POLYCAB INDIA LIMITED

#29, The Ruby, 21st Floor, Senapati Bapat Marg,

Tulsi Pipe Road, Dadar (West),

Mumbai - 400 028, Maharashtra (India)

Ph.: +91-22-2432 7070/4, 6735 1400

enquiry@polycab.com | Toll Free No: 1800 267 0008 | www.polycab.com

in ©



